




Certificate of Appreciation

Maverick Rainwater

The Cullman County Commission would like to thank you for coming to lead us in our Pledge of Allegiance at our Commission Meeting, it was an honor to meet you.


Jeff Clemons, Chairman


Kerry Watson, Commissioner


Garry Marchman, Commissioner


Kelly Duke, Commissioner


Corey Freeman, Commissioner

CULLMAN COUNTY COMMISSION PROCLAMATION

Child Abuse Prevention Month

WHEREAS, Cullman County applauds Cullman Caring for Kids for their dedicated work in the prevention of child abuse in our community; and,

WHEREAS, Cullman County commends Cullman Caring for Kids for their tireless promotion of ongoing programs in our community which are designed to help prevent child abuse; and,

WHEREAS, the Cullman County Commission stands firmly on the side of prevention of any type of abuse and believes no child should endure verbal, emotional, or physical abuse for any reason; and,

WHEREAS, the National Exchange Club adopted the Prevention of Child Abuse as its national project in 1979 in response to a request by its National President who, as a physician, noticed an increase in abuse cases in his medical practice; since then April has been designated as Child Abuse Prevention Month, and Cullman County supports and encourages all of our residents and community leaders to wear blue each Monday in April in observance of Child Abuse Prevention Month,

WHEREAS, the Cullman County Commission hereby proclaims the month of April to be **CHILD ABUSE PREVENTION MONTH**. Our commitment is to have healthy, happy children and to help eradicate child abuse in our community, and to support the efforts of Cullman Caring for Kids and all others who observe the importance to bring awareness of this tragic problem and to help make our community a stronger and more loving county where children will be able to grow and thrive without fear or harm.

NOW, THEREFORE, BE IT RESOLVED, that the Cullman County Commission hereby proclaims the month of April 2023, to be.


Child Abuse Prevention Month


The Cullman County Commission commends this observance during April 2023 to the citizens of Cullman County, Alabama

This 21st day of March, 2023

Attest:



Tiffany Merriman,
County Clerk


Jeff Clemons, Chairman


Kerry Watson, Commissioner


Garry Marchman, Commissioner


Kelly Duke, Commissioner


Corey Freeman, Commissioner

CULLMAN COUNTY
COMMISSION

PROCLAMATION

Child Abuse Prevention Month

WHEREAS, April was first declared Child Abuse Prevention Month with a presidential proclamation by President Ronald Regan in 1983; and

WHEREAS, Child Abuse Prevention Month is a time to acknowledge the importance of families and communities working together to prevent child abuse and neglect, promote the social and emotional well-being of children and families; and

WHEREAS, our children are our most valuable resource and will shape the future of Cullman County; and

WHEREAS, child abuse is considered to be one of our nation's most serious public health problems with scientific studies documenting the link between the abuse and neglect of children and a wide range of medical, emotional, psychological, and behavioral disorders; and

WHEREAS, promoting effective child abuse prevention programs succeed because of partnerships created among families, social service agencies, schools, faith communities, civic organizations, law enforcement agencies, and the business community; and

WHEREAS, during the month of April and throughout the year, our communities are encouraged to share child abuse and neglect prevention awareness strategies and activities and promote prevention across the county.


NOW, THEREFORE, BE IT RESOLVED, that the Cullman County Commission hereby proclaims the month of April 2023, to be

Child Abuse Prevention Month


The Cullman County Commission commends this observance during April 2023 to the citizens of Cullman County, Alabama

This 21st day of March, 2023


Attest:




Tiffany Merriman,
County Clerk



Jeff Clemons, Chairman




Kerry Watson, Commissioner



Garry Marchman, Commissioner



Kelly Duke, Commissioner



Corey Freeman, Commissioner

**RESOLUTION 2023-22
TO SELECT QUALIFIED FIRM
FOR ARCHITECTURAL/ENGINEERING SERVICES, NEGOTIATE A CONTRACT,
AND EXPEND AMERICAL RESCUE PLAN ACT FUNDS TO SUPPORT
WATER/SEWER INFRASTRUCUTRE PROJECTS**

WHEREAS, Cullman County, Alabama (the "County") has received American Rescue Plan Act fiscal recovery funds ("ARPA funds") and is charged with ensuring that such funds are expended in accordance with state and federal law; and

WHEREAS, the County may expend ARPA funds for eligible water and sewer infrastructure projects; and

WHEREAS, the County has identified water sewer infrastructure projects that are reasonably believed to be eligible under the parameters as set forth in the Final Rule; and

WHEREAS, the County has determined that it is in need of engaging a qualified architect/engineering firm to provide Preliminary Engineering Reports in order to make a final determine as to eligibility of the projects and whether funding the projects would be a reasonable and necessary expenditure of the County's ARPA funds as well as the full design work for any projects thereafter deemed eligible; and

WHEREAS, the County issued a request for proposals ("RFP") on January 27, 2023, for architectural and engineering services to obtain preliminary reports and, if the projects are deemed eligible, to provide full architectural/engineering services to facilitate the project; and

WHEREAS, two proposals were received in response to the RFP, which were evaluated by County staff members based upon the objective criteria in the RFP; and

WHEREAS, based upon the review, County staff members recommend that Goodwyn Mills Cawood be selected as the firm with which to enter into negotiations for these projects and that St. John & Associates, Inc. be designated as an alternate should negotiations fail with the selected firm.

WHEREAS, the Cullman County Commission ("Commission") has reviewed the recommendation and proposals and is satisfied, based upon the contents of the proposals and the objective criteria in the RFP, that the firms are qualified to complete the work; and

WHEREAS, the Commission desires to enter into an agreement with Goodwyn Mills Cawood to provide services as outlined in the RFP.

NOW, THEREFORE, BE IT RESOLVED BY THE COMMISSION as follows:

1) The Commission hereby directs the County to enter into negotiations with Goodwyn Mills Cawood, including the negotiation of a reasonable fee structure, consistent with the terms and conditions of the County's ARPA award and this Resolution.

2) Should the County and Goodwyn Mills Cawood fail to reach an agreement within a reasonable amount of time, [DESIGNEE] may, in his/her discretion, terminate negotiations with Goodwyn Mills Cawood and enter into negotiations with St. John and Associates, Inc. under the same parameters.

3) Upon successful negotiation as set forth in this Resolution, the Commissioner hereby delegates authority to the Chairman to execute a contract for design services provided that the contract:


- a) includes a reasonable fee for services as determined by the Chairman; and
- b) is consistent with the terms and conditions of the County's ARPA award and this Resolution.

4) Upon execution of the contract by the Chairman, the County Administrator is hereby authorized to expend ARPA funds to cover the cost of services as described herein to facilitate the provision of these services.

5) The ARPA Program Manager is charged with ensuring that ARPA funds allocated and expended to provide these government services will not be used in such a way as to frustrate COVID-19 mitigation guidance issued by the Centers for Disease Control, or for any other use prohibited by the Final Rule or any applicable state or federal law.

6) Expenditure of these funds, as authorized by this Resolution, shall be contingent on the continued appropriation and availability of ARPA funds for this purpose and in no event shall be used for any expenses not obligated by December 31, 2024, and expended by December 31, 2026.

IN WITNESS WHEREOF, the Cullman County Commission has caused this Resolution to be executed in its name and on its behalf by its Chairman on the 21st day of March, 2023.



Chairman, Cullman County Commission

MEMORANDUM TO FILE

Date: March 21, 2023

Re: Request for Proposals No. 2023-01 Evaluation

On January 27, 2023, the Cullman County Commission issued the above-referenced Request for Proposals for architectural/engineering firms to provide Preliminary Engineering Reports, as requested, to determine eligibility and full engineering and design services for eligible updates to the County's water/sewer infrastructure. In response, two proposals were received. The proposals were reviewed and graded based upon the objective criteria in the Request for Proposals. Based upon the evaluation, Goodwyn Mills Cawood was scored as the apparent selected vendor with whom to enter into negotiations and St. Johns & Associates, Inc. was scored as an alternate should the County not successfully negotiate a contract with the apparent selected vendor.

By way of resolution dated March 21, 2023, the County Commission approved results of the evaluation.

A copy of the final scoresheet and resolution is attached.

Scoresheet Detailed

Criteria	Total Possible	GMC Score	St. Johns Score
Licensure - 3.3.a.4 Firm's registration information and registration numbers of the individuals to 40% = 400		Yes	Yes
Project specific qualifications - 3.3.a.5 pts			
a. Public works projects and Title 39	150	150	150
b. Federally funded projects, including Proposer's experience in bid documents	150	150	150
c. CDC guidance as it relates to COVID-19 prevention and mitigation	50	50	50
d. Experience in providing project management and construction management	50	50	50
References - 3.3.a.8 10% =100	100	100	100
Form Contract - 3.3.a.7 2%=20 pts	20	10	10
Statement of Qualifications - 3.3.a.8 40% = 400			
Part I - Contract-Specific Qualifications			
A. Was all contract information provided?	1	1	1
B. Was Architect-Engineer point of contact information provided?	1	1	1
C. Was proposed team provided, including designation of prime and key	1	1	1
D. Was organizational chart provided?	1	1	0
E. Resumes of Key Personnel			
Is there at least one key member from each team member listed in	1	1	1
14. Year's of Experience (Avg. of all key personnel)	7	7	7
15. Where is the primary firm located?	2	1	2
16. Was education provided?	1	1	1
18. Were other professional qualifications included?	2	2	1
19. Relevant projects in resumes			
1. Was at least one project located in the county, the	2	2	2
2. What was the average year of the projects	7	5	0
3. Are more than half of the projects for water/sewer	7	0	7
3. Of the included water/sewer infrastructure projects,	7	7	7
3. Do any of the projects demonstrate experience with	7	7	7
3. Do any of the projects demonstrate experience with	7	7	7
F. Example Projects Illustrating Proposed Team's Qualifications for this Project and G.			
Project 1 -Water/Sewer Infrastructure			

- 21. Where was the project located?
- 22. When were the services provided?
- 23. Was the project owner another governmental
- 24. Is project relevant? Does it involve water/sewer
- 24. Does the project demonstrate experience and
- 24. Does the project demonstrate experience with
- 24. Does the project demonstrate experience with

Project 2 - Water/Sewer Infrastructure

- 21. Where was the project located?
- 22. When were the services provided?
- 23. Was the project owner another governmental
- 24. Is project relevant? Does it involve water/sewer
- 24. Does the project demonstrate experience and
- 24. Does the project demonstrate experience with
- 24. Does the project demonstrate experience with

Project 3 - Water/Sewer Infrastructure

- 21. Where was the project located?
- 22. When were the services provided?
- 23. Was the project owner another governmental
- 24. Is project relevant? Does it involve water/sewer
- 24. Does the project demonstrate experience and
- 24. Does the project demonstrate experience with
- 24. Does the project demonstrate experience with

Project 4 - Project Management

- 22. When were the services provided?
- 23. Was the project owner another governmental
- 24. Is project relevant? Does it involve Program
- 24. Does the project demonstrate experience with
- 24. Does the project demonstrate experience with

Section H - Additional Information Ability to adhere to budget and schedule of projects

Part II - General Qualifications

- 3. Average years firms have been in service?
- 9. Is there sufficient staff to handle this project?
- 10. Average Revenue for Last 5 Years for Relevant Categories

2	1	2
9	6	9
4	1	1
35	35	35
5	0	5
15	0	15
15	15	15
2	1	2
9	9	9
4	4	1
35	35	35
5	5	5
15	15	15
15	15	15
2	1	2
9	9	9
4	4	1
35	35	35
5	5	5
15	15	0
15	15	15
9	9	9
4	4	1
20	20	20
10	10	10
10	10	10
20	20	10
3	3	3
3	3	3
3	3	0

11. Firm's Average Revenue for Last 3 Years?

Federal Revenues?

Non-federal revenues?

3.3.a.9 - State Required Forms 3%=30pts

3.3.b - Fee Schedule 5% = 50 pts

2	2	2
5	3	3
2	2	1
30	30	30
50	50	41.16

Total 1000 949 929.16

Cost Proposal - 3b - 5% = 50 pts

	Vendor Total Additional Cost	Prorata Points		GMC	Points	St. Johns	Points
REIMBURSEABLE COSTS PROVIDED			Reimbursable Costs and Fees Totalled = Vendor Rate. 100% of points possible would be granted to the lowest additional cost. Points deducted on a prorata basis.				
	\$1,000	25		\$250	25	\$325	19.23
PROJECT/CONSTRUCTION MANAGEMENT (OPTIONAL SERVICE)			100% of the points possible would be granted to the lowest monthly cost. Points would be deducted on a prorata basis.				
MONTHLY RATE DURING CONSTRUCTION PHASE	\$1,000	25		\$5,000	25	\$5,700	21.93
Total Possible Cost Proposal Score							
		50	Vendor Cost Proposal Scores		50		41.16

Scoresheet Summary

Criteria	Total Possible	Points Awarded GMC	Points Awarded St. John's
	Required	Provided	Provided
Registered and Lisenced - 3.3.a.4			
Project specific qualifications - 3.3.a.5 - 40%	400	400	400
References - 3.3.a.6 - 10 %	100	100	100
Form Contract - 3.3.a.7 - 2%	20	10	10
Statement of Qualifications - 3.3.a.8 - 30%	400	359	348
State Required Forms - 3.3.a.9 - 3%	30	30	30
Fee Schedule - 3.3.b - 5%	50	50	41.16
Total	1000	949	929.16

Recommendation: Goodwyn Mills Cawood
 Alternate: St. John and Associates, Inc.



HH TECHNOLOGIES

HH Technologies, Inc.
1733 County Road 68
Bremen, Alabama 35033
256.287.7000

January 31, 2023

Cullman County Commission
500 2nd Avenue SW
Room 105
Attn: Mr. Jeff Clemons
RE Abatement #s 2020308002 and 2020308001

Dear Mr. Clemons,

I am writing to formally request an extension through June 30, 2023, of the above referenced Abatements. Due to supply chain issues caused world -wide and the effects of the Covid-19 pandemic and contractor delays due to a shortage of staff, we have been unable to complete the new manufacturing facility on our premises. We are approximately 85% complete and will finish the project by June 30, 2023.

Considering the issues noted above, we respectfully request that both the abatements be extended until the end of June 2023.

Please feel free to call or email me if further information is required. Thank you for your consideration.

Sincerely,

Chris Arnold
VP Finance
HH Technologies, Inc.



P.O. Box 5040 • Montgomery, Alabama 36103
Telephone 334-263-7594
www.alabamacounties.org
**Workers' Compensation
Self-Insurers' Fund**

March 14, 2023

Judy Bradford, HR Manager
Cullman County Commission
500 2nd Ave SW, Rm 202
Cullman, AL 35055

RE: ACCA Workers' Compensation Self-Insurers Fund
2021-22 Payroll Audit

Dear Judy:

Please find attached a copy of your audit for coverage through the Association of County Commissions of Alabama Workers' Compensation Self-Insurers Fund.

We ask that you take a moment to check this audit for coverage from October 1, 2021 to October 1, 2022. If we do not hear from you immediately regarding any corrections, which need to be made, we will assume that the audit is correct.

As a result of your payroll audit, an additional payment is due. We ask that your audit contribution be paid within 10 days.

Thank you in advance for your cooperation in this matter and for the opportunity to serve your workers' compensation needs. If we may be of help to you, please do not hesitate to call.

Sincerely,

A handwritten signature in black ink that reads "H. van Arcken". The signature is written in a cursive, flowing style.

Henry van Arcken
Director of Insurance Services



**Association of County Commissions of Alabama
Workers' Compensation Self-Insurers Fund**

FUND YEAR 2021 FINAL AUDIT BILLING

MAKE CHECKS PAYABLE TO: ACCA WCSIF

BILLING DATE: 3/14/2023

**MAIL CHECKS TO: COUNTY RISK SERVICES, INC.
P.O. BOX 589
MONTGOMERY, AL 36101-0589**

MEMBER:

Cullman County Commission
ATTN: Judy Bradford
500 2nd Ave SW, Rm 202,
Cullman, Alabama 35055

<u>FUND</u>	<u>YEAR</u>	<u>ACCT</u>	<u>SB</u>
0086	2021	0033	00

FUND AUDIT BILLING PERIOD: 10/1/2021 TO 10/1/2022

<u>Code</u>	<u>Sub</u>	<u>Classification of Operations</u>	<u>Payroll</u>	<u>Rate</u>	<u>Annual Contribution</u>
5506	00	St/Rd Constr/Pav-Incl Drivers	3,359,012.00	5.63	\$189,112.38
7380	00	Drivers, Chauffeurs	453,871.00	4.75	\$21,558.87
7520	00	Waterwks-Incl Sales/Drivers	1,238,776.00	2.69	\$33,323.07
7720	00	Sheriff's Department	8,373,080.00	3.28	\$274,637.02
8380	00	County Shop/Auto & Truck Repair	704,365.00	3.01	\$21,201.39
8810	00	Clerical Office Employees Noc	4,715,053.00	0.16	\$7,544.08
8820	00	Attorneys All Employees	133,571.00	0.15	\$200.36
8831	00	Hospital-Vet & Drivers	204,582.00	1.55	\$3,171.02
8832	00	Coroner	25,780.00	0.35	\$90.23
8835	00	Public Health	0.00	2.58	\$0.00
8864	00	Social Services Organization	334,616.00	1.82	\$6,090.01
9015	00	Building Custodian	299,687.00	3.37	\$10,099.45
9102	00	Parks-Incl Drivers	868,842.00	2.67	\$23,198.08
9403	00	Garbage Coll-Incl Drivers	1,450,226.00	6.81	\$98,760.39
9410	00	County Employees, Incl Drivers	1,566,369.00	2.11	\$33,050.39
Total Manual Contribution					\$722,036.75
Total Fund Adjustments/Discounts					\$-148,104.18
Total Limited Normal Contribution					\$573,932.57
Less Estimated Previously Paid					\$504,484.24
Amount Due – Fund					\$69,448.33



Jeff Clemons
Chairman

Kerry Watson
Commissioner, District 1

Garry Marchman
Commissioner, District 2

Kelly Duke
Commissioner, District 3

Corey Freeman
Commissioner, District 4

John Bullard
County Administrator

March 21, 2023

Dear Mrs. Potter,

It is my pleasure to inform your appointment to the Wellstone Board of Directors for a 6-year term expiring 04/01/2027.

We look forward to working with you and the Board in the future.

Sincerely,

A handwritten signature in black ink that reads "Tiffany Merriman".

Tiffany Merriman

County Clerk

Cullman County Commission

Jeff Clemons
Chairman
Kerry Watson
Commissioner, District 1
Garry Marchman
Commissioner, District 2



Kelly Duke
Commissioner, District 3
Corey Freeman
Commissioner, District 4
John Bullard
County Administrator

March 21, 2023

Dear Mr. O'Neal,

It is my pleasure to inform you of your reappointment to the Wellstone Board of Directors for a 6-year term expiring 04/01/2029.

We look forward to working with you and the Board in the future.

Sincerely,

A handwritten signature in black ink that reads "Tiffany Merriman".

Tiffany Merriman
County Clerk
Cullman County Commission



DECATUR ELECTRONICS COMMUNICATIONS, LLC
 1222 4TH AVE SE
 DECATUR, AL 35601
 256-355-4747 PHONE
 decsale@decatur-electronics.com

Quote	
Date	Estimate #
3/13/2023	69991

Name / Address
Cullman County EMA P.O. Box 924 Cullman AL 35056-0924

SUBJECT

Item	Description	Qty	Cost	Total
LIFT RENTAL	120 FOOT BUCKET TRUCK (PER DAY)	2	1,187.50	2,375.00T
ROAD LABOR	DIAGNOSIS/REPAIR OF EQUIPMENT ON SITE - INSTALLING	14	115.00	1,610.00
21872	152-156 MHz 3dB Fiberglass Omni Antenna	6	233.025	1,398.15T
78996	156-162 MHz 3dB Fiberglass Omni Antenna	2	237.725	475.45T
69293	Fiberglass Ant Mtg. Kit	8	30.52375	244.19T
XSPSPCL	PN: 67290 ANTENNA SIDE MOUNT KIT WITH CLAMPS	8	320.5025	2,564.02T
59520	Times Microwave LMR-400 (PRICED PER FOOT)	800	1.40	1,120.00T
XSPSPCL	PN: 310778 GROUND KIT LMR-400	8	31.4725	251.78T
20573	BACK PARTS ROOM - COAX POLYPHASER	8	85.5625	684.50T
14515	N male connector for 9913, LMR-400, AND 241543, CUS TL93605	32	7.58781	242.81T
XSPSPCL	PN: 341449 UNIVERSAL GROUND BAR	1	90.23	90.23T
XSPSPCL	PN: 574838 / 8 AWG 19 STRANDED GROUND WIRE	20	1.872	37.44T
XSPSPCL	PN: 44388 U-BOLT GROUND ROD CLAMP	3	18.55	55.65T
SHOP SUPPLIES	MISC SHOP SUPPLIES	1	30.00	30.00T

			Subtotal	\$11,179.22
--	--	--	-----------------	-------------

QUOTE GOOD FOR 60 DAYS

Sales Tax (0.0%)	\$0.00
-------------------------	--------

Total	\$11,179.22
--------------	-------------



CHECK US OUT ON FACEBOOK!

WWW.FACEBOOK.COM/DECATURELECTRONICS

March 13, 2023

SUBJECT: Sensus FlexNet System Upgrade

Thank you for your interest in this proposal. The work provided would take your onsite RNI servers to a cloud-based system to give you full and continuous access to servers via web portal. Our data team monitors your system, as well as providing software patches and updates to ensure you have the latest features and access including Sensus Analytics, a head end software used for billing and alert management that truly unlocks the power of your system.

Year 1 pricing and schedule

Software, and integration of current system	
1. SaaS Data Migration – <i>invoiced at Statement of Work (SOW) execution</i>	\$15,000
2. RNI SaaS Setup Fee – <i>invoiced at SOW execution</i>	\$5,500
3. RNI Validation and Testing – <i>invoiced upon cutover</i>	\$8,000
4. RNI Upgrade Training Remote – <i>invoiced upon completion of service</i>	\$2,250
5. Sensus Analytics Setup – <i>invoiced upon completion of service</i>	\$5,000
6. Sensus Analytics Standard Integration – <i>invoiced upon completion of service</i>	\$5,000
7. Sensus Analytics Training Remote – <i>invoiced upon completion of service</i>	\$1,000
8. 1 ST YEAR Annual RNI SaaS Fee* – <i>invoiced after setup</i>	\$13,792
9. 1st YEAR Annual Sensus Analytics Fee* – <i>invoiced after setup</i>	\$11,194

Continued next page



Four of the existing S50 Base stations have defective compact flash drives and will not upgrade. It is recommended to change the duplexers in the base station cabinets for two-way operations. This would include Ally meter shutoff valve and pressure sensors monitoring for example.

Hardware upgrade kits to base stations	
Qty 4 - S100 B stock Shelf upgrades	\$20,189
Qty 7 - Duplexers	\$12,412
Qty 1 - GPS Antenna	\$200
RF field commission and configuration of sites*	\$1950
Year 1 Total	\$101,487

*Additional costs will apply if Cullman County wants RF field technician to install base stations components

2nd – 5th year subscription pricing

Year 2: Annual RNI SaaS Fee**	\$14,206
Year 2: Annual Sensus Analytics Fee**	\$11,530
Year 2 Total	\$25,736

Year 3: Annual RNI SaaS Fee	\$14,632
Year 3: Annual Sensus Analytics Fee	\$11,876
Year 3 Total	\$26,508

Year 4: Annual RNI SaaS Fee	\$15,071
Year 4: Annual Sensus Analytics Fee	\$12,232
Year 4 Total	\$27,303

Year 5: Annual RNI SaaS Fee	\$15,523
Year 5: Annual Sensus Analytics Fee	\$12,599
Year 5 Total	\$28,122

**Billed annually with 3% escalation

**BRYAN
CHEATWOOD**
County Engineer

bchcatwood@co.cullman.al.us



JON BRUNNER
Assistant Engineer

jbnmncr@co.cullman.al.us

Cullman County Engineering Department

2883 Highway 69 North - Cullman, AL 35058

Phone: 256-796-1336 Fax: 256-796-7039

March 6, 2023

Proposed considerations for upcoming Commission meeting on March 21st, 2023.

- Proposed plat Radford Place II 2nd Addition. A minor subdivision containing 9 Lots located off County Road 1251.

**BRYAN
CHEATWOOD**
County Engineer

bchcatwood@co.cullman.al.us



JON BRUNNER
Assistant Engineer

jbnmncr@co.cullman.al.us

Cullman County Engineering Department

2883 Highway 69 North - Cullman, AL 35058

Phone: 256-796-1336 Fax: 256-796-7039

March 13, 2023

Proposed considerations for upcoming Commission meeting on March 21, 2023.

- Proposed Bond Release for Kingfisher Subdivision Phase 1A and Phase 1B. All construction has been completed and has passed final inspection.

INVITATION TO BIDDERS

The Cullman County Commission will be receiving bids until 2:00 p.m., Thursday, March 2, 2023 in Room 105 of the Cullman County Courthouse, Cullman, Alabama, for one (1) or more single- axle dump truck(s). At this time sealed bids will be publicly opened and read aloud.

The Cullman County Commission reserves the right to reject any and/or all bids and to waive any formalities in the bidding.

Award will be based upon the lowest bid price submitted by a responsible bidder meeting the required specifications.

Bid responses must be returned in a sealed envelope clearly marked as a bid with the bid number and your company name on the outside.

Any questions regarding this bid should be directed to Shane Bailey, Facilities & Equipment Mgr, at 256-775-1942, or @sbailey@co.cullman.al.us

Bid Price: \$ 119,705.00

NETRAD TRUCK CENTERS
Company

1801 FULTON ROAD
Mailing Address

FULTONDALE, AL 35068

205-841-4450 / 205-841-4430
Phone/Fax

TJK (Terry Kiddell)
Representative

GENERAL

These specifications shall be construed as the minimum acceptable standards for a heavy duty dump truck chassis. Should the manufacturer's current published data or specifications exceed these standards, the manufacturer's standards shall be considered the minimum and shall be furnished. All integral parts not specifically mentioned in the scope of these specifications that are necessary to provide a complete working unit shall be furnished. Additionally, the machine offered for bid shall include all standard manufacturers' equipment.

The use of specific names or numbers in the specifications is not intended to restrict the bidder or any seller or manufacturer, but is intended solely for the purpose of indicating the type, size, and quality of equipment considered best adapted to the uses of counties participating in this joint bid.

Note all units offered for bid must be of manufacturer's current production model and must be fully compliant with EPA standard US10 without the use of EPA engine credits. Chassis should be equipped with the appropriate diesel particulate filter and SCR after treatment system.

BID PRICE

The bid price shall include all destination charges, delivery charges, title fees, rebates, and all other applicable costs and refunds.

REPLACEMENT PARTS AVAILABILITY

Parts must be available for 5 years or 500,000 miles of use for the piece of equipment bid.

WARRANTY

Bidders shall submit a copy of the manufacturer's standard warranty along with a complete explanation of the warranty with their bid. Warranty must be transferrable. Warranty must include the following minimum coverage:

Base Vehicle: 1 year or 100,000 miles *2 Year / UNLIMITED MILES*

Diesel Engine: 2 year or 250,000 miles. However, counties will have the option to purchase additional coverage (an extended warranty) if negotiated between the purchasing county and successful bidder within the first 9 months of truck purchase. *3 Year / UNLIMITED MILE*

Transmission: 3 year or 300,000 miles *3 Year / UNLIMITED*

Rear Carriers: 3 year or 300,000 miles *2 Year / UNLIMITED + EXTENDED PROTECTION BRINGS IT TO 3 Year / UNLIMITED*

ASSEMBLY AND DELIVERY

The truck chassis will be purchased for use with a 10' dump body and optional body equipment that is to be bid separate and apart from the truck chassis. The dump body company will be responsible for assembly and installation of the dump and related optional equipment, including the cost of the same. The selling truck chassis dealer will be responsible for delivery of the chassis to the dump Body Company for installation and for delivery of the complete dump truck unit to the county following installation and assembly of the dump body and related options onto the truck chassis. Freight to and from the Dump Body Company will be included in the truck bidder's proposal. Dump body installation and assembly costs will be included in the dump body bidder's proposal.

DOT INSPECTION AND SAFETY EQUIPMENT ✓

Prior to delivery each unit shall be DOT inspected and include the appropriate documentation and decal. In addition each unit shall be equipped with the required fire extinguisher and reflective triangle kit.

MINIMAL BID SPECIFICATIONS OR EQUIVALENT

Cabs equipped with A/C and Radios. *BASE VEHICLE SHEET AND PAGE 3 SPECS*

Cab should be air suspended at rear on dual air bags *BASE VEHICLE SHEET*

Bright finish bumper *PAGE 3 SPECS*

Heat and Motorized side mirrors with chrome finish *PAGE 3 SPECS*

Stainless steel exterior sun visor *LOCALLY INSTALLED*

Truck should be equipped with a 300hp Engine *PAGE 2 SPECS*

Truck should be equipped with an Allison 3000 RDS Transmission *PAGE 2 SPECS*

Single, horizontal exhaust *PAGE 3 SPECS*

Front axle rating 12,000lbs *PAGE 2 SPECS*

Rear Axle rating 21,000lbs with differential lock. *PAGE 2 SPECS*

Driver's seat should be equipped with air. *PAGE 3 SPECS*

Passenger bench seat with integrated storage. *PAGE 3 SPECS*

Seating fabric should be vinyl. *PAGE 3 SPECS*

Seatbelts should be orange in color. *PAGE 3 SPECS*

Brake system should be antilock air design. *BASE VEHICLE SHEETS*

120,000 PSI steel frame rails with RBM per rail of 1.457m. *PAGE 3 SPECS AND BASE VEHICLE SHEET*
21.57m

Fire Extinguisher to be mounted left of driver's seat. *PAGE 3 SPECS*

11R22.5 Bridgestone tire with polished aluminum wheels. *PAGE 3 SPECS*

Provisions for pindle hook trailer hitch installed by bed company *LOCALLY INSTALLED*

Provisions for tractor package air brakes for trailer to be installed by bed company *LOCALLY INSTALLED*

**W-9 TAX DOCUMENTS and E-VERIFY ARE REQUIRED TO BE SUBMITTED WITH THIS BID.
FAILURE TO DO SO WILL RESULT IN REJECTION OF BIDDERS SUBMITTAL**

**COMPLIANCE WITH THE BEASON-HAMMON ALABAMA TAXPAYER AND CITIZEN
PROTECTION ACT**

(ACT 2011-535. AS AMENDED BY ACT 2012-491)

By signing this contract, grant, or other agreement, the contracting parties affirm, for the duration of the agreement, that they will not violate federal immigration law or knowingly employ, hire for employment, or continue to employ an unauthorized alien within the State of Alabama. Furthermore, a contracting party found to be in violation of this provision shall be deemed in breach of the agreement and shall be responsible for all damages resulting therefrom. The Contractor is enrolled in E-Verify unless it is not eligible to enroll because of the rules of that program or other factors beyond its control.

the contract. Each policy shall be endorsed by the issuing insurer to provide thirty (30) days prior written notice of cancellation to the CCCC.

(SEE BID SCHEDULE FOR LISTED PAY ITEMS)

WHTAKER CONTRACTING CORP
Company

692 Convict Camp RD
Mailing Address

Guntersville, AL 35976

256-582-2636 / 256-582-2672
Phone/Fax

HEATH THOMAS
Authorized Representative Name (Print)

Heath Thomas
Authorized Representative Signature

SPECIFICATIONS FOR BITUMINOUS PLANT MIX
(FURNISHED AND INSTALLED)
BID SCHEDULE

WYHARRIS CONTRACTING CORP.
NAME OF CONTRACTOR

PAY ITEM	DESCRIPTION	\$/TON UNDER 500 TONS	\$/TON OVER 500 TONS
----------	-------------	-----------------------	----------------------

LIMESTONE MIXES

PRICE FOR ALL 1/2" MIXES LISTED. A SEPARATE PRICE CAN BE SET BELOW FOR A SPECIFIC PAY ITEM

424A-340	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Max. Agg. Size Mix, ESAL Range A/B	105.41	93.65
424A-346	Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Max. Agg. Size Mix, ESAL Range A/B	106.41	94.65
424A-360	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Max. Agg. Size Mix, ESAL Range C/D	105.41	93.65

PRICE FOR ALL 3/4" MIXES LISTED. A SEPARATE PRICE CAN BE SET BELOW FOR A SPECIFIC PAY ITEM

424B-635	Superpave Bituminous Concrete Upper Binder Layer, 3/4" Max. Agg. Size Mix, ESAL Range A/B	90.64	83.87
424B-643	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Max. Agg. Size Mix, ESAL Range A/B	90.64	83.87
424B-665	Superpave Bituminous Concrete Lower Binder Layer, 3/4" Max. Agg. Size Mix, ESAL Range A/B	90.64	83.87
424B-673	Superpave Bituminous Concrete Lower Binder Layer, Leveling, 3/4" Max. Agg. Size Mix, ESAL Range A/B	90.64	83.87
424B-650	Superpave Bituminous Concrete Upper Binder Layer, 3/4" Max. Agg. Size Mix, ESAL Range C/D	90.64	83.87
424B-658	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Max. Agg. Size Mix, ESAL Range C/D	90.64	83.87
424B-680	Superpave Bituminous Concrete Lower Binder Layer, 3/4" Max. Agg. Size Mix, ESAL Range C/D	90.64	83.87
424B-688	Superpave Bituminous Concrete Lower Binder Layer, Leveling, 3/4" Max. Agg. Size Mix, ESAL Range C/D	90.64	83.87

PRICE FOR ALL 1" MIXES LISTED. A SEPARATE PRICE CAN BE SET BELOW FOR A SPECIFIC PAY ITEM

424B-636	Superpave Bituminous Concrete Upper Binder Layer, 1" Max. Agg. Size Mix, ESAL Range A/B	91.74	84.97
424B-644	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Max. Agg. Size Mix, ESAL Range A/B	91.74	84.97
424B-666	Superpave Bituminous Concrete Lower Binder Layer, 1" Max. Agg. Size Mix, ESAL Range A/B	91.74	84.97
424B-674	Superpave Bituminous Concrete Lower Binder Layer, Leveling, 1" Max. Agg. Size Mix, ESAL Range A/B	91.74	84.97
424C-340	Superpave Bituminous Concrete Base Layer, 1" Max. Agg. Size Mix, ESAL Range A/B	85.17	80.02
424B-651	Superpave Bituminous Concrete Upper Binder Layer, 1" Max. Agg. Size Mix, ESAL Range C/D	91.74	84.97
424B-659	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Max. Agg. Size Mix, ESAL Range C/D	91.74	84.97
424B-681	Superpave Bituminous Concrete Lower Binder Layer, 1" Max. Agg. Size Mix, ESAL Range C/D	91.74	84.97
424B-689	Superpave Bituminous Concrete Lower Binder Layer, Leveling, 1" Max. Agg. Size Mix, ESAL Range C/D	91.74	84.97

SPECIFICATIONS FOR BITUMINOUS PLANT MIX
(FURNISHED AND INSTALLED)
BID SCHEDULE

WHITAKER CONTRACTING CO. INC.
NAME OF CONTRACTOR

PAY ITEM	DESCRIPTION	\$/TON	
		UNDER 500 TONS	OVER 500 TONS

424C-360 Superpave Bituminous Concrete Base Layer, 1" Max. Agg. Size Mix, ESAL Range C/D 85.17 80.02

PRICE FOR ALL 1-1/2" MIXES LISTED. A SEPARATE PRICE CAN BE SET BELOW FOR A SPECIFIC PAY ITEM

424B-648	Superpave Bituminous Concrete Upper Binder Layer, Widening, 1 1/2" Max. Agg. Size Mix, ESAL Range A/B	<u>120.81</u>	<u>106.58</u>
424B-678	Superpave Bituminous Concrete Upper Lower Layer, Widening, 1 1/2" Max. Agg. Size Mix, ESAL Range A/B	<u>120.81</u>	<u>106.58</u>
424B-663	Superpave Bituminous Concrete Upper Binder Layer, Widening, 1 1/2" Max. Agg. Size Mix, ESAL Range C/D	<u>120.81</u>	<u>106.58</u>
424B-693	Superpave Bituminous Concrete Upper Lower Layer, Widening, 1 1/2" Max. Agg. Size Mix, ESAL Range C/D	<u>120.81</u>	<u>106.58</u>

PRICE FOR ALL PATCHING LISTED. A SEPARATE PRICE CAN BE SET BELOW FOR A SPECIFIC PAY ITEM

424B-640	Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Max. Agg. Size Mix, ESAL Range A/B	<u>145.35</u>	<u>120.71</u>
424B-670	Superpave Bituminous Concrete Lower Binder Layer, Patching, 1" Max. Agg. Size Mix, ESAL Range A/B	<u>145.35</u>	<u>120.71</u>
424B-655	Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Max. Agg. Size Mix, ESAL Range C/D	<u>145.35</u>	<u>120.71</u>
424B-685	Superpave Bituminous Concrete Lower Binder Layer, Patching, 1" Max. Agg. Size Mix, ESAL Range C/D	<u>145.35</u>	<u>120.71</u>

SILICIOUS MIXES

PRICE FOR ALL 3/8" MIXES LISTED. A SEPARATE PRICE CAN BE SET BELOW FOR A SPECIFIC PAY ITEM

424A-336	Superpave Bituminous Concrete Wearing Surface Layer, 3/8" Max. Agg. Size Mix, ESAL Range A/B	<u>119.91</u>	<u>103.64</u>
424A-356	Superpave Bituminous Concrete Wearing Surface Layer, 3/8" Max. Agg. Size Mix, ESAL Range C/D	<u>119.91</u>	<u>103.64</u>

PRICE FOR ALL 1/2" MIXES LISTED. A SEPARATE PRICE CAN BE SET BELOW FOR A SPECIFIC PAY ITEM

424A-340	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Max. Agg. Size Mix, ESAL Range A/B	<u>116.82</u>	<u>100.83</u>
424A-346	Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Max. Agg. Size Mix, ESAL Range A/B	<u>116.82</u>	<u>110.27</u>
424A-360	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Max. Agg. Size Mix, ESAL Range C/D	<u>116.82</u>	<u>100.83</u>
424A-366	Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Max. Agg. Size Mix, ESAL Range C/D	<u>116.82</u>	<u>110.27</u>

PRICE FOR ALL 3/4" MIXES LISTED. A SEPARATE PRICE CAN BE SET BELOW FOR A SPECIFIC PAY ITEM

SPECIFICATIONS FOR BITUMINOUS PLANT MIX
 (FURNISHED AND INSTALLED)
 BID SCHEDULE

Bid #1429

WITTAKER CONCRETE CORP.
 NAME OF CONTRACTOR

PAY ITEM	DESCRIPTION	\$/TON	\$/TON
		UNDER 500 TONS	OVER 500 TONS

424A-341	Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Max. Agg. Size Mix, ESAL Range A/B	<u>116.82</u>	<u>101.02</u>
424A-361	Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Max. Agg. Size Mix, ESAL Range C/D	<u>116.82</u>	<u>101.02</u>

MISCELLANEOUS ITEMS

327A020	Plant Mix Bituminous Base, Mix 1	<u>95.50</u>	<u>91.50</u>
327A021	Plant Mix Bituminous Base, Mix 2	<u>95.50</u>	<u>91.50</u>

401A004	Bituminous Treatment E	<u>No Bid</u>	\$/Sq. Yard
401A006	Bituminous Treatment G	<u>No Bid</u>	\$/Sq. Yard

405A-000	Tack Coat	<u>6.00</u>	\$/GALLONS
----------	-----------	-------------	------------

INVITATION TO BIDDER

The Cullman County Commission will be receiving bids until, 2:00 p.m., Thursday, March 9, 2023 in Room 105 of the Cullman County Courthouse. Cullman, Alabama, for the resurfacing of county roads with Bituminous Plant Mix for Cullman County Road Department. Work may include projects funded by **Rebuild Alabama and Federal Aid Exchange Funds**. At this time sealed bids will be publicly opened and read aloud.

The Cullman County Commission reserves the right to reject any and/or all bids and to waive any formalities in the bidding.

All bids must comply with State of Alabama bid requirements, including a bid guaranty of not less than 5% of the estimated cost, not to exceed \$10,000.

Any questions regarding these specifications should be directed to Cullman County Engineering at (256) 796-1336.

This bid is to cover the resurfacing of county roads with Bituminous Plant Mix for use in the ENTIRE COUNTY. Materials and mixes shall comply with the Current State of Alabama Department of Transportation specifications. Bids will be accepted based on the price per gallon of asphalt as determined by the Alabama Department of Transportation Standard Specifications for Highway Construction, current edition on bid date. Any increase or decrease will be reflected by adjustment of the price index.

This project is projected to cost approximately \$500,000. This projection is not a guarantee. This projection is not meant to be relied upon. External factors may increase or decrease the actual amount of the work performed. Individual items in this bid may be excluded.

A Performance Bond Shall be furnished for the total projected contract price. Additional performance bonds may be required for the large individual projects exceeding the projected amount that may arise or as required by grant administrators.

This project shall entail all of the resurfacing of county roads across Cullman County other than the projects being administered by the Alabama Department of Transportation.

Bidders shall be responsible for complying with all Federal, State and local laws, ordinances and regulations, and shall possess all proper licenses.

Awarded Bidder must give notice of completion of a project by advertising in a newspaper of general circulation published within the county where the work has been done for four consecutive weeks.

Cullman County Commission reserves the right to reject any materials supplied by the successful bidder which do not meet quality standards specified.

Bidder does hereby agree to furnish the items specified at the bid price listed for a period of one (1) year, beginning with the date of award, and certify that all specifications set out will be met.

All bidders must be licensed in accordance with all acts and codes relating to the licensing of contractors by the State of Alabama and must show evidence of such license.

The owner reserves the right to reject any and all bids and to waive all informalities without cause. The owner reserves the right to add or delete from the proposed work or delete part or all of any item of work required to adjust the cost to the funds available.

All materials and work must meet Alabama Department of Transportation Standard Specifications for Highway Construction pertaining to Section 405 and 424, current edition.

The contractor is responsible for furnishing, installing and maintaining all traffic control and advance warning devices and signs. No direct payment will be made for this work; however, compensation should be included in other pay items of work.

All work must begin within eight (8) weeks from the date upon which the contractor is furnished with a valid purchase order. Failure to begin within the allotted time will result in a breach of the agreement and contractor will be liable for all damages resulting from the breach.

By signing this contract, the contracting parties affirm, for the duration of the agreement, that they will not violate federal immigration law or knowingly employ, hire for employment, or continue to employ an unauthorized alien within the state of Alabama. Furthermore, a contracting party found to be in violation of this provision shall be deemed in breach of the agreement and shall be responsible for all damages resulting therefrom.

No Separate bid item will be allowed for mobilization. Bidder will be allowed to submit two (2) bid prices; one (1) for quantities greater than 500 tons per project and one (1) for quantities less than 500 tons.

W-9 TAX DOCUMENTS and E-VERIFY ARE REQUIRED TO BE SUBMITTED WITH THIS BID. FAILURE TO DO SO WILL RESULT IN REJECTION OF BIDDERS SUBMITTAL.

INSURANCE REQUIREMENTS

The Contractor, at its sole expense, shall obtain and maintain in full force the following insurance to protect the Contractor and the County Commission of Cullman County, Alabama (CCCC) at limits and coverages specified below. These limits and coverages specified are the minimum to be maintained and are not intended to represent the correct insurance needed to fully and adequately protect the Contractor

All insurance will be provided by insurers licensed to conduct business in the State of Alabama and shall have a minimum A.M. Best rating of A- VII and must be acceptable to the CCCC. Self-insured plans and/or group funds not having an A.M. Best rating must be submitted to the CCCC for prior approval.

No work shall be performed until proof of compliance with the insurance requirements has been received by the CCCC.

(a) Worker's Compensation and Employers Liability

Part One: Statutory Benefits as required by the State of Alabama

Part Two: Employers Liability

Each Accident	\$3,000,000
Each Employee	\$3,000,000
Policy Limit	\$3,000,000

- i. U. S. Longshoremen & Harborworkers' Act (USL&H) -
Required if contract involves work near a navigable waterway that may be subject to the USL&H law.
- ii. Maritime Endorsement (Jones Act) -
Endorsement required if contract involves the use of a Vessel.
Or include coverage for "Master or Members or Crew" under "Protection and Indemnity" coverage

Bodily Injury by accident (Each Accident)	\$3,000,000
Bodily Injury by disease (Aggregate)	\$3,000,000

(b) Commercial General Liability

Coverage on an Occurrence form with a combined single limit (Bodily Injury and Property Damage combined) as follows:

	<u>Projects</u>
Each Occurrence	\$3,000,000
Personal and Advertising Injury	\$3,000,000
Products/completed Operation Aggregate	\$3,000,000
General Aggregate	\$3,000,000

- Coverage to include:
 - Premises and operations
 - Personal Injury and Advertising Injury
 - Independent Contractors
 - Blanket Contractual Liability
 - Explosion, Collapse and Underground hazards
 - Broad Form Property Damage
 - Products/Completed Operations - This shall remain in effect for 24 months beyond completion and acceptance by owner of the project, whichever is later.
 - Railroad Protective Liability Insurance if work involves construction, demolition or maintenance operations on or within 50 feet of a railroad.

The contractor shall name the CCCC, its officers, appointees, employees, and agents as

additional insured for claims arising out of the Contractors and/or Subcontractors work. The ISO Form CG 20 10 11 85 or a comparable form that is no more restrictive shall be required. The Additional Insured form MUST include the current Operations and Products/Completed Operations of the contractor. The naming of the additional insured does not obligate the additional insured to pay any premiums due.

Aggregate limits to be on a "per project" basis OR an Owners and Contractors Protective Liability Policy shall be provided in the name of CCCC, the contractor and Subcontractors. Limits to be the same as above Commercial General Liability.

(c) Automobile Liability

Covering all Owned, Non-Owned, and Hired vehicles with a Combined single limit (bodily injury and property damage combined) of \$3,000,000 each accident. The policy shall name CCCC its officers, appointees, employees, and agents as an Additional Insured.

(d) Protection and Indemnity Insurance

If the contract involves work aboard an Owned, Non-Owned or Hired Vessel, Liability coverage in the amount of \$3,000,000 per occurrence shall be maintained.

(d) Indemnification and Liability

Under this section the term County shall include Cullman County, the Cullman County Commission, the officers, appointees, department heads, agents, and employees of the Cullman County Commission

The County shall not be liable for any injury to the person or property of any person, firm, or corporation resulting directly or indirectly from Contractor's performance of this Contract, and the Contractor assumes full and complete responsibility therefore.

The Contractor shall further indemnify the County and hold the County safe and harmless from any and all liability, lawsuits, judgments, attorney fees, and other costs incurred by the County in defending any claim or lawsuit made against the County by any person, firm, or corporation arising directly or indirectly out of any work performed by the Contractor pursuant hereto or any breach or alleged breach of duty or responsibility of the Contractor related thereto Waiver of Subrogation

The Workers Compensation Policy shall contain a Waiver of Subrogation in favor of the CCCC, its officers, appointees, employees, and agents.

Certificate of Insurance

A Certificate of Insurance evidencing the above minimum requirements must be provided to and accepted by the CCCC PRIOR to commencement of any work on

the contract. Each policy shall be endorsed by the issuing insurer to provide thirty (30) days prior written notice of cancellation to the CCCC.

(SEE BID SCHEDULE FOR LISTED PAY ITEMS)

WIREGRASS CONSTRUCTION COMPANY, INC.
Company

110 OFFICE PARK DRIVE, SUITE 300
Mailing Address

BIRMINGHAM, AL 35223

256-736-4059 / 205-620-5675
Phone/Fax

C. David Sullivan
Authorized Representative Name (Print)


Authorized Representative Signature

SPECIFICATIONS FOR BITUMINOUS PLANT MIX
(FURNISHED AND INSTALLED)
BID SCHEDULE

Bid #1429

WIRBGRASS CONSTRUCTION CO. INC.
NAME OF CONTRACTOR

PAY ITEM	DESCRIPTION	\$/TON	\$/TON
		UNDER 500 TONS	OVER 500 TONS

LIMESTONE MIXES

PRICE FOR ALL 1/2" MIXES LISTED. A SEPARATE PRICE CAN BE SET BELOW FOR A SPECIFIC PAY ITEM

424A-340	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Max. Agg. Size Mix, ESAL Range A/B	<u>120.00</u>	<u>101.00</u>
424A-346	Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Max. Agg. Size Mix, ESAL Range A/B	<u>120.00</u>	<u>101.00</u>
424A-360	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Max. Agg. Size Mix, ESAL Range C/D	<u>120.00</u>	<u>101.00</u>

PRICE FOR ALL 3/4" MIXES LISTED. A SEPARATE PRICE CAN BE SET BELOW FOR A SPECIFIC PAY ITEM

424B-635	Superpave Bituminous Concrete Upper Binder Layer, 3/4" Max. Agg. Size Mix, ESAL Range A/B	<u>113.00</u>	<u>93.00</u>
424B-643	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Max. Agg. Size Mix, ESAL Range A/B	<u>113.00</u>	<u>93.00</u>
424B-665	Superpave Bituminous Concrete Lower Binder Layer, 3/4" Max. Agg. Size Mix, ESAL Range A/B	<u>113.00</u>	<u>93.00</u>
424B-673	Superpave Bituminous Concrete Lower Binder Layer, Leveling, 3/4" Max. Agg. Size Mix, ESAL Range A/B	<u>113.00</u>	<u>93.00</u>
424B-650	Superpave Bituminous Concrete Upper Binder Layer, 3/4" Max. Agg. Size Mix, ESAL Range C/D	<u>113.00</u>	<u>93.00</u>
424B-658	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Max. Agg. Size Mix, ESAL Range C/D	<u>113.00</u>	<u>93.00</u>
424B-680	Superpave Bituminous Concrete Lower Binder Layer, 3/4" Max. Agg. Size Mix, ESAL Range C/D	<u>113.00</u>	<u>93.00</u>
424B-688	Superpave Bituminous Concrete Lower Binder Layer, Leveling, 3/4" Max. Agg. Size Mix, ESAL Range C/D	<u>113.00</u>	<u>93.00</u>

PRICE FOR ALL 1" MIXES LISTED. A SEPARATE PRICE CAN BE SET BELOW FOR A SPECIFIC PAY ITEM

424B-636	Superpave Bituminous Concrete Upper Binder Layer, 1" Max. Agg. Size Mix, ESAL Range A/B	<u>108.00</u>	<u>88.00</u>
424B-644	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Max. Agg. Size Mix, ESAL Range A/B	<u>108.00</u>	<u>88.00</u>
424B-666	Superpave Bituminous Concrete Lower Binder Layer, 1" Max. Agg. Size Mix, ESAL Range A/B	<u>108.00</u>	<u>88.00</u>
424B-674	Superpave Bituminous Concrete Lower Binder Layer, Leveling, 1" Max. Agg. Size Mix, ESAL Range A/B	<u>108.00</u>	<u>88.00</u>
424C-340	Superpave Bituminous Concrete Base Layer, 1" Max. Agg. Size Mix, ESAL Range A/B	<u>108.00</u>	<u>88.00</u>
424B-651	Superpave Bituminous Concrete Upper Binder Layer, 1" Max. Agg. Size Mix, ESAL Range C/D	<u>108.00</u>	<u>88.00</u>
424B-659	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Max. Agg. Size Mix, ESAL Range C/D	<u>108.00</u>	<u>88.00</u>
424B-681	Superpave Bituminous Concrete Lower Binder Layer, 1" Max. Agg. Size Mix, ESAL Range C/D	<u>108.00</u>	<u>88.00</u>
424B-689	Superpave Bituminous Concrete Lower Binder Layer, Leveling, 1" Max. Agg. Size Mix, ESAL Range C/D	<u>108.00</u>	<u>88.00</u>

SPECIFICATIONS FOR BITUMINOUS PLANT MIX
(FURNISHED AND INSTALLED)
BID SCHEDULE

Bid #1429

WIREGRASS CONSTRUCTION CO. INC.
NAME OF CONTRACTOR

PAY ITEM	DESCRIPTION	\$/TON	\$/TON
		UNDER 500 TONS	OVER 500 TONS
424C-360	Superpave Bituminous Concrete Base Layer, 1" Max. Agg. Size Mix, ESAL Range C/D	108.00	88.00

PRICE FOR ALL 1-1/2" MIXES LISTED. A SEPARATE PRICE CAN BE SET BELOW FOR A SPECIFIC PAY ITEM

424B-648	Superpave Bituminous Concrete Upper Binder Layer, Widening, 1 1/2" Max. Agg. Size Mix, ESAL Range A/B	115.50	105.50
424B-678	Superpave Bituminous Concrete Upper Lower Layer, Widening, 1 1/2" Max. Agg. Size Mix, ESAL Range A/B	115.50	105.50
424B-663	Superpave Bituminous Concrete Upper Binder Layer, Widening, 1 1/2" Max. Agg. Size Mix, ESAL Range C/D	115.50	105.50
424B-693	Superpave Bituminous Concrete Upper Lower Layer, Widening, 1 1/2" Max. Agg. Size Mix, ESAL Range C/D	115.50	105.50

PRICE FOR ALL PATCHING LISTED. A SEPARATE PRICE CAN BE SET BELOW FOR A SPECIFIC PAY ITEM

424B-640	Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Max. Agg. Size Mix, ESAL Range A/B	144.00	120.00
424B-670	Superpave Bituminous Concrete Lower Binder Layer, Patching, 1" Max. Agg. Size Mix, ESAL Range A/B	144.00	120.00
424B-655	Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Max. Agg. Size Mix, ESAL Range C/D	144.00	120.00
424B-685	Superpave Bituminous Concrete Lower Binder Layer, Patching, 1" Max. Agg. Size Mix, ESAL Range C/D	144.00	120.00

SILICIOUS MIXES

PRICE FOR ALL 3/8" MIXES LISTED. A SEPARATE PRICE CAN BE SET BELOW FOR A SPECIFIC PAY ITEM

424A-336	Superpave Bituminous Concrete Wearing Surface Layer, 3/8" Max. Agg. Size Mix, ESAL Range A/B	124.00	104.00
424A-356	Superpave Bituminous Concrete Wearing Surface Layer, 3/8" Max. Agg. Size Mix, ESAL Range C/D	124.00	104.00

PRICE FOR ALL 1/2" MIXES LISTED. A SEPARATE PRICE CAN BE SET BELOW FOR A SPECIFIC PAY ITEM

424A-340	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Max. Agg. Size Mix, ESAL Range A/B	120.00	101.00
424A-346	Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Max. Agg. Size Mix, ESAL Range A/B	120.00	101.00
424A-360	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Max. Agg. Size Mix, ESAL Range C/D	120.00	101.00
424A-366	Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Max. Agg. Size Mix, ESAL Range C/D	120.00	101.00

PRICE FOR ALL 3/4" MIXES LISTED. A SEPARATE PRICE CAN BE SET BELOW FOR A SPECIFIC PAY ITEM

SPECIFICATIONS FOR BITUMINOUS PLANT MIX
(FURNISHED AND INSTALLED)
BID SCHEDULE

Bid #1429

WIREGRASS CONSTRUCTION CO., INC.
NAME OF CONTRACTOR

PAY ITEM	DESCRIPTION	\$/TON	\$/TON
		UNDER 500 TONS	OVER 500 TONS
424A-341	Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Max. Agg. Size Mix, ESAL Range A/B	<u>121.00</u>	<u>102.00</u>
424A-361	Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Max. Agg. Size Mix, ESAL Range C/D	<u>121.00</u>	<u>102.00</u>

MISCELLANEOUS ITEMS

327A020	Plant Mix Bituminous Base, Mix 1	<u>112.50</u>	<u>91.00</u>
327A021	Plant Mix Bituminous Base, Mix 2	<u>110.50</u>	<u>89.00</u>
401A004	Bituminous Treatment E *	* <u>4.50</u>	\$/Sq. Yard
401A006	Bituminous Treatment G *	* <u>4.75</u>	\$/ Sq. Yard
405A-000	Tack Coat	<u>4.50</u>	\$/GALLONS

* PRICES FOR E-TREATMENT & G-TREATMENT ARE ONLY VALID FOR ROADWAYS THAT WILL BE COVERED BY AN ASPHALT LAYER UNDER THIS CONTRACT.

INVITATION TO BIDDER

The Cullman County Commission will be receiving bids until, 2:00 p.m., Thursday, March 9, 2023 in Room 105 of the Cullman County Courthouse. Cullman, Alabama, for the resurfacing of county roads with Bituminous Plant Mix for Cullman County Road Department. Work may include projects funded by **Rebuild Alabama and Federal Aid Exchange Funds**. At this time sealed bids will be publicly opened and read aloud.

The Cullman County Commission reserves the right to reject any and/or all bids and to waive any formalities in the bidding.

All bids must comply with State of Alabama bid requirements, including a bid guaranty of not less than 5% of the estimated cost, not to exceed \$10,000.

Any questions regarding these specifications should be directed to Cullman County Engineering at (256) 796-1336.

This bid is to cover the resurfacing of county roads with Bituminous Plant Mix for use in the ENTIRE COUNTY. Materials and mixes shall comply with the Current State of Alabama Department of Transportation specifications. Bids will be accepted based on the price per gallon of asphalt as determined by the Alabama Department of Transportation Standard Specifications for Highway Construction, current edition on bid date. Any increase or decrease will be reflected by adjustment of the price index.

This project is projected to cost approximately \$500,000. This projection is not a guarantee. This projection is not meant to be relied upon. External factors may increase or decrease the actual amount of the work performed. Individual items in this bid may be excluded.

A Performance Bond Shall be furnished for the total projected contract price. Additional performance bonds may be required for the large individual projects exceeding the projected amount that may arise or as required by grant administrators.

This project shall entail all of the resurfacing of county roads across Cullman County other than the projects being administered by the Alabama Department of Transportation.

Bidders shall be responsible for complying with all Federal, State and local laws, ordinances and regulations, and shall possess all proper licenses.

Awarded Bidder must give notice of completion of a project by advertising in a newspaper of general circulation published within the county where the work has been done for four consecutive weeks.

Cullman County Commission reserves the right to reject any materials supplied by the successful bidder which do not meet quality standards specified.

Bidder does hereby agree to furnish the items specified at the bid price listed for a period of one (1) year, beginning with the date of award, and certify that all specifications set out will be met.

All bidders must be licensed in accordance with all acts and codes relating to the licensing of contractors by the State of Alabama and must show evidence of such license.

The owner reserves the right to reject any and all bids and to waive all informalities without cause. The owner reserves the right to add or delete from the proposed work or delete part or all of any item of work required to adjust the cost to the funds available.

All materials and work must meet Alabama Department of Transportation Standard Specifications for Highway Construction pertaining to Section 405 and 424, current edition.

The contractor is responsible for furnishing, installing and maintaining all traffic control and advance warning devices and signs. No direct payment will be made for this work; however, compensation should be included in other pay items of work.

All work must begin within eight (8) weeks from the date upon which the contractor is furnished with a valid purchase order. Failure to begin within the allotted time will result in a breach of the agreement and contractor will be liable for all damages resulting from the breach.

By signing this contract, the contracting parties affirm, for the duration of the agreement, that they will not violate federal immigration law or knowingly employ, hire for employment, or continue to employ an unauthorized alien within the state of Alabama. Furthermore, a contracting party found to be in violation of this provision shall be deemed in breach of the agreement and shall be responsible for all damages resulting therefrom.

No Separate bid item will be allowed for mobilization. Bidder will be allowed to submit two (2) bid prices; one (1) for quantities greater than 500 tons per project and one (1) for quantities less than 500 tons.

W-9 TAX DOCUMENTS and E-VERIFY ARE REQUIRED TO BE SUBMITTED WITH THIS BID. FAILURE TO DO SO WILL RESULT IN REJECTION OF BIDDERS SUBMITTAL.

INSURANCE REQUIREMENTS

The Contractor, at its sole expense, shall obtain and maintain in full force the following insurance to protect the Contractor and the County Commission of Cullman County, Alabama (CCCC) at limits and coverages specified below. These limits and coverages specified are the minimum to be maintained and are not intended to represent the correct insurance needed to fully and adequately protect the Contractor

All insurance will be provided by insurers licensed to conduct business in the State of Alabama and shall have a minimum A.M. Best rating of A- VII and must be acceptable to the CCCC. Self-insured plans and/or group funds not having an A.M. Best rating must be submitted to the CCCC for prior approval.

No work shall be performed until proof of compliance with the insurance requirements has been received by the CCCC.

(a) Worker's Compensation and Employers Liability

Part One: Statutory Benefits as required by the State of Alabama

Part Two: Employers Liability

Each Accident	\$3,000,000
Each Employee	\$3,000,000
Policy Limit	\$3,000,000

- i. U. S. Longshoremen & Harborworkers' Act (USL&H) -
Required if contract involves work near a navigable waterway that may be subject to the USL&H law.
- ii. Maritime Endorsement (Jones Act) -
Endorsement required if contract involves the use of a Vessel.
Or include coverage for "Master or Members or Crew" under "Protection and Indemnity" coverage

Bodily Injury by accident (Each Accident)	\$3,000,000
Bodily Injury by disease (Aggregate)	\$3,000,000

(b) Commercial General Liability

Coverage on an Occurrence form with a combined single limit (Bodily Injury and Property Damage combined) as follows:

	<u>Projects</u>
Each Occurrence	\$3,000,000
Personal and Advertising Injury	\$3,000,000
Products/completed	\$3,000,000
Operation Aggregate	
General Aggregate	\$3,000,000

- Coverage to include:
 - Premises and operations
 - Personal Injury and Advertising Injury
 - Independent Contractors
 - Blanket Contractual Liability
 - Explosion, Collapse and Underground hazards
 - Broad Form Property Damage
 - Products/Completed Operations - This shall remain in effect for 24 months beyond completion and acceptance by owner of the project, whichever is later.
 - Railroad Protective Liability Insurance if work involves construction, demolition or maintenance operations on or within 50 feet of a railroad.

The contractor shall name the CCCC, its officers, appointees, employees, and agents as

additional insured for claims arising out of the Contractors and/or Subcontractors work. The ISO Form CG 20 10 11 85 or a comparable form that is no more restrictive shall be required. The Additional Insured form MUST include the current Operations and Products/Completed Operations of the contractor. The naming of the additional insured does not obligate the additional insured to pay any premiums due.

- Aggregate limits to be on a "per project" basis OR an Owners and Contractors Protective Liability Policy shall be provided in the name of CCCC, the contractor and Subcontractors. Limits to be the same as above Commercial General Liability.

(c) **Automobile Liability**

Covering all Owned, Non-Owned, and Hired vehicles with a Combined single limit (bodily injury and property damage combined) of \$3,000,000 each accident. The policy shall name CCCC its officers, appointees, employees, and agents as an Additional Insured.

(d) **Protection and Indemnity Insurance**

If the contract involves work aboard an Owned, Non-Owned or Hired Vessel, Liability coverage in the amount of \$3,000,000 per occurrence shall be maintained.

(d) **Indemnification and Liability**

Under this section the term County shall include Cullman County, the Cullman County Commission, the officers, appointees, department heads, agents, and employees of the Cullman County Commission

The County shall not be liable for any injury to the person or property of any person, firm, or corporation resulting directly or indirectly from Contractor's performance of this Contract, and the Contractor assumes full and complete responsibility therefore.

The Contractor shall further indemnify the County and hold the County safe and harmless from any and all liability, lawsuits, judgments, attorney fees, and other costs incurred by the County in defending any claim or lawsuit made against the County by any person, firm, or corporation arising directly or indirectly out of any work performed by the Contractor pursuant hereto or any breach or alleged breach of duty or responsibility of the Contractor related thereto **Waiver of Subrogation**

The Workers Compensation Policy shall contain a Waiver of Subrogation in favor of the CCCC, its officers, appointees, employees, and agents.

Certificate of Insurance

A Certificate of Insurance evidencing the above minimum requirements must be provided to and accepted by the CCCC PRIOR to commencement of any work on

INVITATION TO BIDDERS

The Cullman County Commission will be receiving bids until 2:00 p.m., Thursday, March 9, 2023, in Room 105 of the Cullman County Courthouse, Cullman, Alabama, for **Guardrail** for the Cullman County Road Dept. and various municipalities in Cullman County. At this time sealed bids will be publicly opened and read aloud.

This bid will be a cooperative bid between the Cullman County Commission and the following municipalities located within Cullman County.

Town of Good Hope, Town of Colony, Town of Garden City, Town of Dodge City, Town of Holly Pond, Town of Baileyton, Town of Fairview, Town of West Point, City of Hanceville, Cullman County Commission on Education, and the City of Cullman.

The award of this bid will be made by the Cullman County Commission on behalf of all indicated governmental entities.

Each participating governmental entity will be responsible for issuing its own purchase orders, deliver instructions, invoicing, insurance requirements, and issue its own tax exemption certificates as required by vendors.

W-9 TAX DOCUMENTS and E-VERIFY ARE REQUIRED TO BE SUBMITTED WITH THIS BID. FAILURE TO DO SO WILL RESULT IN REJECTION OF BIDDERS SUBMITTAL.

The Cullman County Commission reserves the right to reject any and/or all bids and to waive any formalities in the bidding.

ALABAMA GUARDRAIL, Inc.
Company

205-625-3000
Phone/Fax

P.O. Box 126
Mailing Address

[Signature]
Representative

CLEVELAND, AL 35049

J. KEITH DILLARD
PRESIDENT

MARCH 9, 2023
DATE

SPECIFICATIONS

ITEM: STEEL BEAM GUARDRAIL (new or used) MATERIALS ONLY

MATERIAL REQUIREMENTS: All materials shall conform to Section 630 Guardrail Materials of Alabama Dept. of Transportation's Standard Specifications for Highway Construction, current edition. Used material shall be suitable for re-use.

QUANTITY: The quantity shall be "as needed" by Cullman County, however, it is understood that the quantity is subject to availability.

Guardrail Steel Beam	New: \$ <u>20.00</u> per linear ft
	Used: \$ <u>10.00</u> per linear ft
Guardrail Steel Post	New: \$ <u>95.00</u> per linear ft
	Used: \$ <u>20.00</u> per linear ft
Guardrail Steel Blocks	New: \$ <u>N/A</u> each
	Used: \$ <u>N/A</u> each
Type 10-A Guardrail End Anchor	New: \$ <u>2,800.00</u> each
	Used: \$ <u>N/A</u> each
Type 20 Guardrail End Anchor	New: \$ <u>3,000.00</u> each
	Used: \$ <u>N/A</u> each
Guardrail Bolts & Nuts	\$ <u>SEE ATTACHED</u> per pound

ITEM: NEW OR USED STEEL BEAM GUARDRAIL-FURNISHED AND INSTALLED

*****BID PRICE INCLUDES ALL NECESSARY MATERIALS*****

*****RAIL, POSTS, BOLTS, ECT, REQUIRED FOR INSTALLATION*****

Guardrail Steel Beam Type 1 Class A	New: \$ <u>38.00</u> per linear ft
	Used: \$ <u>20.00</u> per linear ft
Type 10-A Guardrail End Anchor	New: \$ <u>3,600.00</u> each
	Used: \$ <u>N/A</u> each
Type 20 Guardrail End Anchor	New: \$ <u>4,000.00</u> each
	Used: \$ <u>N/A</u> each

ALABAMA GUARDRAIL, INC.
P.O. BOX 126
CLEVELAND, ALABAMA 35049
205-625-3880

ATTACHMENT

SPLICE ASSEMBLY	\$1.00 EACH
10" BOLT ASSEMBLY	\$5.00 EACH

STATE OF ALABAMA

BID LIMIT: U
AMOUNT: UNLIMITED
LICENSE NO.: 9452
TYPE: RENEWAL



State Licensing Board for General Contractors

THIS IS TO CERTIFY THAT

ALABAMA GUARDRAIL INC
CLEVELAND, AL 35049

is hereby licensed a General Contractor in the State of Alabama and is authorized to perform the following type(s) of work:

HS-S: FENCING, HS-S: GUARDRAILS, HS-S: TRAFFIC CONTROL AND SAFETY

until December 31, 2023 when this Certificate expires.

Witness our hands and seal of the Board, dated Montgomery, Ala.,

21st day of November, 2022

Michael B. Tate SECRETARY-TREASURER

Paul A. Tate CHAIRMAN

190249

POLYPROPYLENE ROADWAY PIPE

BID #1431

IN ORDER TO RECEIVE CONSIDERATION. BIDS MUST BE SUBMITTED ON THIS FORM

SPECIFICATIONS:

DIAMETER	PRICE/FOOT DOUBLE WALL POLYPROPYLENE	PRICE/FOOT SINGLE WALL POLYPROPYLENE	DELIVERED PRICE/FOOT DOUBLE WALL POLYPROPYLENE	DELIVERED PRICE/FOOT SINGLE WALL POLYPROPYLENE
15 inch	19.20		19.20	
18 inch	24.60		24.60	
24 inch	41.50	N/A	41.50	N/A
30 inch	64.40		64.40	
36 inch	70.50		70.50	
42 inch	92.50		92.50	
48 inch	122.50		122.50	
60 inch	190.50		190.50	
Total Price	625.70		625.70	

ADS - will deliver if need

Name and Address of Bidder:

Bear Concrete Products Inc

P. O. Box 944

Pullman, AL 35056-0944

Telephone number: 256-734-5313

Fax number: -
 e-mail: bearblockcompany@bellsouth.net

Reba Taylor
 Signature

Name: Reba Taylor

Title: Secretary & Treas/Bookkeeper

POLYPROPYLENE ROADWAY PIPE

BID #1431

IN ORDER TO RECEIVE CONSIDERATION, BIDS MUST BE SUBMITTED ON THIS FORM

SPECIFICATIONS:

DIAMETER	PRICE/FOOT DOUBLE WALL POLYPROPYLENE	PRICE/FOOT SINGLE WALL POLYPROPYLENE	DELIVERED PRICE/FOOT DOUBLE WALL POLYPROPYLENE	DELIVERED PRICE/FOOT SINGLE WALL POLYPROPYLENE
15 inch	\$19.01	N/A	\$19.01	N/A
18 inch	\$24.25	N/A	\$24.25	N/A
24 inch	\$40.87	N/A	\$40.87	N/A
30 inch	\$63.62	N/A	\$63.62	N/A
36 inch	\$69.66	N/A	\$69.66	N/A
42 inch	\$93.93	N/A	\$93.93	N/A
48 inch	\$123.15	N/A	\$123.15	N/A
60 inch	\$193.00	N/A	\$193.00	N/A
Total Price	\$627.49	N/A	\$627.49	N/A

Name and Address of Bidder:

Ferguson Waterworks

190 Commerce Dr.

Pelham, Al. 35124

Telephone number:(205)621-5520 (334)707-7529

Fax number: N/A



Signature

Name: Briar Thomas

Title: Sales Support Representative

Bid No. 1431

INVITATION TO BIDDERS

The Cullman County Commission will be receiving bids until 2:00 p.m., Thursday, March 9, 2023 in Room 105 of the Cullman County Courthouse, Cullman, Alabama, for **Polypropylene Pipe** for the Cullman County Road Dept. and various municipalities in Cullman County. At this time sealed bids will be publicly opened and read aloud.

This bid will be a cooperative bid between the Cullman County Commission and the following municipalities located within Cullman County.

City of Good Hope, Town of Colony, Town of Garden City, Town of Dodge City, Town of Holly Pond, Town of Baileyton, Town of Fairview, Town of West Point, City of Hanceville, Cullman County Board of Education, and the City of Cullman.

The award of this bid will be made by the Cullman County Commission of behalf of all indicated governmental entities.

Each participating governmental entity will be responsible for issuing its own purchase orders, delivery instructions, invoicing, insurance requirements, and issue its own tax exemption certificates as required by vendors.

W-9 TAX DOCUMENTS and E-VERIFY ARE REQUIRED TO BE SUBMITTED WITH THIS BID. FAILURE TO DO SO WILL RESULT IN REJECTION OF BIDDERS SUBMITTAL.

The Cullman County Commission reserves the right to reject any and/or all bids and to waive any formalities in the bidding.

COMPLIANCE WITH THE BEASON-HAMMON ALABAMA TAXPAYER AND CITIZEN PROTECTION ACT

(ACT 2011-535. AS AMENDED BY ACT 2012-491)

By signing this contract, grant, or other agreement, the contracting parties affirm, for the duration of the agreement, that they will not violate federal immigration law or knowingly employ, hire for employment, or continue to employ an unauthorized alien within the State of Alabama. Furthermore, a contracting party found to be in violation of this provision shall be deemed in breach of the agreement and shall be responsible for all damages resulting therefrom. The Contractor is enrolled in E-Verify unless it is not eligible to enroll because of the rules of that program or other factors beyond its control.

POLYPROPYLENE PIPE PRODUCT SPECIFICATION

Part 1: General

1.1 Summary

- 1.1.1. Polypropylene Pipe: This specification describes polypropylene corrugated pipe with a smooth interior for storm water applications.

1.2 References

- 1.2.1. ASTM D2412: Standard Test Method for determination of external loading Characteristics of plastic pipe by parallel plate loading.
- 1.2.2. ASTM D2321: Standard Practice for underground installation of thermoplastic pipe for sewers and other gravity flow applications.
- 1.2.3. ASTM D3212: Standard Specification for joints for drain and sewer plastic pipes using flexible elastomeric seals
- 1.2.4. ASTM F477: Specification for elastomeric seals (gaskets) for joining plastic pipe
- 1.2.5. ASTM F1417: Standard Test Method for installation acceptance of plastic gravity sewer line using low pressure air
- 1.2.6. ASTM F2487: Standard Practice for infiltration and exfiltration acceptance testing of installed corrugated high density polyethylene pipelines
- 1.2.7. ASTM D4101: Standard Specification for polypropylene injection and extrusion materials
- 1.2.8. ASTM F2736: Standard Specification for 6 to 30 inch polypropylene (PP) corrugated single wall and double wall pipe
- 1.2.9. ASTM F2764: Standard Specification for 30 to 60 inch polypropylene (PP) triple wall pipe and fittings for non-pressure sanitary sewer applications
- 1.2.10. ADS Technical Note 2.04: Minimum and Maximum burial depth for sanitary pipe

**POLYPROPYLENE PIPE
PRODUCT SPECIFICATION
Page Two**

1.3 Submittals

- 1.3.1. All pipe and fittings not covered by this specification shall be approved by the Engineer seven (7) days prior to the bid letting

Part 2: Products

2.1 Materials

- 2.1.1. Impact Modified Copolymer Polypropylene: Pipe and fittings shall be manufactured from virgin material conforming to the requirements of ASTM D4101. For 12 through 30 inch diameter, pipe shall meet the requirements of ASTM F2736 (dual wall). For 36 through 60 inch diameter, pipe shall meet the requirements of ASTM F2764 (triple wall).
- 2.1.2 Flexible elastomeric gasket: Gaskets shall be manufactured in accordance with the requirements of ASTM F477.

2.2. Manufacture and Construction

- 2.1.3. Smooth interior corrugated polypropylene pipe: The pipe shall be manufactured with smooth interior and annular exterior corrugations 12"-30" (dual wall) and smooth interior, annular corrugated core and smooth exterior on 36"-60" (triple wall).
- 2.1.4. Joints: All pipe shall be joined with a dual gasket integral bell and spigot joint, and shall be watertight according to the requirements of ASTM D3212. The spigot shall have two gaskets meeting the requirements of ASTM F477. The integral bell shall be reinforced with a polymer composite band. Gaskets shall be installed by the manufacturer and covered with a removable wrap to ensure the gasket is free from debris.
- 2.1.5 Fittings: Fittings may be molded or fabricated with bell and spigot connections utilizing a spun on, welded or integral bell and spigot with gaskets meeting ASTM F477

**POLYPROPYLENE PIPE
PRODUCT SPECIFICATION
Page Three**

2.2 Dimensions:

- 2.2.1. Diameters: The nominal diameters shall be in accordance with AASHTO M-294-08.
- 2.2.2. Length: Pipe shall be manufactured and supplied in 13 and 20ft lengths.

2.3 Testing

- 2.3.1. Pipe: The pipe may be tested in accordance with ASTM F1417 or ASTM F2487 to verify water tightness
- 2.3.2. Joint: Joints shall remain watertight according to requirements of ASTM D3212
- 2.3.3. Stiffness: Pipe shall have a minimum pipe stiffness of 46 pii when tested in accordance with ASTM D2412 with the exception that the 60" will be loaded at a rate of 2 in/minute
- 2.3.4. Roughness Coefficient: Manning "n" value for use in design shall be 0.012

POLYPROPYLENE ROADWAY PIPE
 BID #1431

IN ORDER TO RECEIVE CONSIDERATION, BIDS MUST BE SUBMITTED
 ON THIS FORM

SPECIFICATIONS:

DIAMETER	PRICE/FOOT DOUBLE WALL POLYPROPYLENE	PRICE/FOOT SINGLE WALL POLYPROPYLENE	DELIVERED PRICE/FOOT DOUBLE WALL POLYPROPYLENE	DELIVERED PRICE/FOOT SINGLE WALL POLYPROPYLENE
15 inch	\$19.67	NA	\$19.67	NA
18 inch	\$25.09	NA	\$25.09	NA
24 inch	\$42.29	NA	\$42.29	NA
30 inch	\$65.84	NA	\$65.84	NA
36 inch	\$72.09	NA	\$72.09	NA
42 inch	\$97.21	NA	\$97.21	NA
48 inch	\$127.42	NA	\$127.42	NA
60 inch	\$199.74	NA	\$199.74	NA
Total Price	\$649.35	NA	\$649.35	NA

Name and Address of Bidder:

ADCO Pipe & Supply, LLC

4014 Florence Blvd.

Florence, AL 35634

Telephone number: (256) 757-7473

Fax number: fastquotes@adcopipe.com

Michelle Harmon

Signature

Name: Michelle Harmon

Title: Accountant

Bid No. 1431

INVITATION TO BIDDERS

The Cullman County Commission will be receiving bids until 2:00 p.m., Thursday, March 9, 2023 in Room 105 of the Cullman County Courthouse, Cullman, Alabama, for **Polypropylene Pipe** for the Cullman County Road Dept. and various municipalities in Cullman County. At this time sealed bids will be publicly opened and read aloud.

This bid will be a cooperative bid between the Cullman County Commission and the following municipalities located within Cullman County.

City of Good Hope, Town of Colony, Town of Garden City, Town of Dodge City, Town of Holly Pond, Town of Baileyton, Town of Fairview, Town of West Point, City of Hanceville, Cullman County Board of Education, and the City of Cullman.

The award of this bid will be made by the Cullman County Commission of behalf of all indicated governmental entities.

Each participating governmental entity will be responsible for issuing its own purchase orders, delivery instructions, invoicing, insurance requirements, and issue its own tax exemption certificates as required by vendors.

W-9 TAX DOCUMENTS and E-VERIFY ARE REQUIRED TO BE SUBMITTED WITH THIS BID. FAILURE TO DO SO WILL RESULT IN REJECTION OF BIDDERS SUBMITTAL.

The Cullman County Commission reserves the right to reject any and/or all bids and to waive any formalities in the bidding.

COMPLIANCE WITH THE BEASON-HAMMON ALABAMA TAXPAYER AND CITIZEN PROTECTION ACT

(ACT 2011-535. AS AMENDED BY ACT 2012-491)

By signing this contract, grant, or other agreement, the contracting parties affirm, for the duration of the agreement, that they will not violate federal immigration law or knowingly employ, hire for employment, or continue to employ an unauthorized alien within the State of Alabama. Furthermore, a contracting party found to be in violation of this provision shall be deemed in breach of the agreement and shall be responsible for all damages resulting therefrom. The Contractor is enrolled in E-Verify unless it is not eligible to enroll because of the rules of that program or other factors beyond its control.

POLYPROPYLENE PIPE PRODUCT SPECIFICATION

Part 1: General

1.1 Summary

- 1.1.1. Polypropylene Pipe: This specification describes polypropylene corrugated pipe with a smooth interior for storm water applications.

1.2 References

- 1.2.1. ASTM D2412: Standard Test Method for determination of external loading Characteristics of plastic pipe by parallel plate loading.
- 1.2.2. ASTM D2321: Standard Practice for underground installation of thermoplastic pipe for sewers and other gravity flow applications.
- 1.2.3. ASTM D3212: Standard Specification for joints for drain and sewer plastic pipes using flexible elastomeric seals
- 1.2.4. ASTM F477: Specification for elastomeric seals (gaskets) for joining plastic pipe
- 1.2.5. ASTM F1417: Standard Test Method for installation acceptance of plastic gravity sewer line using low pressure air
- 1.2.6. ASTM F2487: Standard Practice for infiltration and exfiltration acceptance testing of installed corrugated high density polyethylene pipelines
- 1.2.7. ASTM D4101: Standard Specification for polypropylene injection and extrusion materials
- 1.2.8. ASTM F2736: Standard Specification for 6 to 30 inch polypropylene (PP) corrugated single wall and double wall pipe
- 1.2.9. ASTM F2764: Standard Specification for 30 to 60 inch polypropylene (PP) triple wall pipe and fittings for non-pressure sanitary sewer applications
- 1.2.10. ADS Technical Note 2.04: Minimum and Maximum burial depth for sanitary pipe

POLYPROPYLENE PIPE PRODUCT SPECIFICATION

Page Two

1.3 Submittals

- 1.3.1. All pipe and fittings not covered by this specification shall be approved by the Engineer seven (7) days prior to the bid letting

Part 2: Products

2.1 Materials

- 2.1.1. Impact Modified Copolymer Polypropylene: Pipe and fittings shall be manufactured from virgin material conforming to the requirements of ASTM D4101. For 12 through 30 inch diameter, pipe shall meet the requirements of ASTM F2736 (dual wall). For 36 through 60 inch diameter, pipe shall meet the requirements of ASTM F2764 (triple wall).
- 2.1.2 Flexible elastomeric gasket: Gaskets shall be manufactured in accordance with the requirements of ASTM F477.

2.2. Manufacture and Construction

- 2.1.3. Smooth interior corrugated polypropylene pipe: The pipe shall be manufactured with smooth interior and annular exterior corrugations 12"-30" (dual wall) and smooth interior, annual corrugated core and smooth exterior on 36"-60" (triple wall).
- 2.1.4. Joints: All pipe shall be joined with a dual gasket integral bell and spigot joint, and shall be watertight according to the requirements of ASTM D3212. The spigot shall have two gaskets meeting the requirements of ASTM F477. The integral bell shall be reinforced with a polymer composite band. Gaskets shall be installed by the manufacturer and covered with a removable wrap to ensure the gasket is free from debris.
- 2.1.5 Fittings: Fittings may be molded or fabricated with bell and spigot connections utilizing a spun on, welded or integral bell and spigot with gaskets meeting ASTM F477

**POLYPROPYLENE PIPE
PRODUCT SPECIFICATION
Page Three**

2.2 Dimensions:

- 2.2.1. Diameters: The nominal diameters shall be in accordance with AASHTO M-294-08.
- 2.2.2. Length: Pipe shall be manufactured and supplied in 13 and 20ft lengths.

2.3 Testing

- 2.3.1. Pipe: The pipe may be tested in accordance with ASTM F1417 or ASTM F2487 to verify water tightness
- 2.3.2. Joint: Joints shall remain watertight according to requirements of ASTM D3212
- 2.3.3. Stiffness: Pipe shall have a minimum pipe stiffness of 46 pii when tested in accordance with ASTM D2412 with the exception that the 60" will be loaded at a rate of 2 in/minute
- 2.3.4. Roughness Coefficient: Manning "n" value for use in design shall be 0.012

INVITATION TO BIDDERS

The Cullman County Commission will be receiving bids until 2:00 p.m., Tuesday, March 14, 2023 in Room 105 of the Cullman County Courthouse, Cullman, Alabama for herbicides and adjuvants and contract application. At this time sealed bids will be publicly opened and read aloud.

The Cullman County Commission reserves the right to reject any/or all bids and to waive any formalities in the bidding.

Helena Agri
Company

PO Box 626 Selma AL 36702 orders
Mailing Address

PO Box 219 Sturgis MS 39769 bids only

334-875-2737 fax 875-3814
Phone/Fax

Greg Wall cell 662 312 0510
Representative
wallg@helenaagri.com

The above named bidder agrees to furnish the Cullman County Commission and the following municipalities, City of Good Hope, Town of Dodge City, Town of Fairview, Town of Baileyton, Town of Colony, Town of Garden City, Town of Holly Pond, Town of West Point, City of Hanceville, City of Cullman, Cullman County Board of Education, located within Cullman County the following products at the stated bid price for a period of one year from the date of award. If mutually agreeable between both parties, Cullman County may extend the bid period in one-year increments up to 3 yrs.

- ✓ All products must be labeled for right-of-way and/or aquatic use.
- ✓ Bidder must submit label for each product bid to st
- ✓ It is Cullman County's desire to continue its vegeta most economical way. Cullman County desires to : bidder with a qualified representative that will at no assistance and training in regards to herbicide app in the field of herbicides and right of way applicatio Cullman County on site in the determination of app
- ✓ Representative must also be available to assist Cu
- ✓ Bidders should name qualified representative and I Bermuda release and brush control programs with to bid.



I would like to get the bid tabulation when available please

GREG WALL
Ph: 662-312-0510

agri.com
WallG@helenachemical.com
www.helenaprofessional.com

HERBICIDES & ADJUVANTS

ITEM DESCRIPTION

- ITEM 1 Proprietary blend ammonium polyacrylates, hydroxy carboxyla
Carboxylates 50%
Inert Ineffective Ingredients 50%
Trade Name Quest
- ITEM 2 Glyphosaic, N-(phosphonomethyl)glycine, in the form of its
Isopropylaminc salt 53.8%
Inert Ineffective Ingredients 46.2%
Aquatic approved by EPA, aquatic toxicity study test
Trade Name Roundup Custom
- ITEM 3 Monosodium Acid Mathanarscnate 47.6% \$
Inert Ineffective Ingredients 52.4%
Surfactant included
Total 100%
Trade Name Target 6
- ITEM 4 Proprietary blend of Alkyl Aryl Polyoxylated Glycois and
Derivatives therof 90%
Components ineffective as spray adjuvant 10%
Trade Name Inlet
- ITEM 5 Proprietary blend of Polyetheneal and Polypropenylamide
Co-Polymers, paraffinic hydrocarbons, and emulsifiers..... 100%
Trade Name Ground Zero
- ITEM 6 2,4-Dichlorophenoxyacetic Acid 19.6%
Inert Ingredients 80.4%
Trade Name Hardball
- ITEM 7 Triisopropanolammonium salt of 2-pyridine
carboxylic acid, 4-amino-3,6-dichloro- 40.6%
Other Ingredients 59.4%
Trade Name Milestone
- ITEM 8 Ammonium salt of imazapic. 23.6%
Inert Ingredients. 76.4%
Trade Name Imazapic
- ITEM 9 Trilopyr; 3,5,6-trichloro-2-pyridinyloxyacetic acid 29.4%
Other Ingredients. 70.6%%
Trade Name Trycera
- ITEM 10 Indaziflam..... 19.05%
Other Ingredients 80.95%

UNIT
\$ 15⁸³ /Gal.

\$ 34³⁶ /Gal.

\$ 31⁶⁷ /Gal.

\$ 14⁴⁶ /Gal.

\$ 11⁴¹ /pint

\$ 36¹⁷ lb/Gal/Pint

\$ 325⁰⁰ /Gal

\$ 124⁴⁰ /Gal.

\$ 88³⁶ /Gal.

\$ 1437⁴⁴ /Gal

Helena

Trade Name Esplara 200 SC

ITEM 11 Polyhydroxycarboxylic acid, sulfates and polymeric deposition agents. 35.0% \$ 29⁴¹ /Gal
Constituents ineffective as spray adjuvant..... 65.0%

Trade Name Accuquest

ITEM 12 Potassium salt of aminocyclopyrachlor Potassium Salt of 6-amino-5
-chloro-2-cylopropyl-4-pyrimidinecarboxylic acid..... 25% \$ 343⁶⁴ /Gal
Other Ingredients 75%

Trade Name Method 240 SL

ITEM 13 Clethodim Petroleum Distillates(E)..2..[1-[[[(3-chloro-2-propenyl)oxyjmino]
propyl]-5-[2-(ethylthio)propyl]-3-hydroxy-2-cyclohexen-1-one. . 12.6% \$ 95³⁸ /Gal.
Inert Ingredients. 87.4%

Trade Name Tapout

Delivery must be made within 24 hours of order to Cullman County facility or Cullman County must be able to obtain locally at vendor's site within six hours of need.

Cullman County reserves the right to accept or reject any or all bids.

✓ Label must accompany bid to prove adherence to specifications.

✓ **W-9 TAX DOCUMENTS and E-VERIFY ARE REQUIRED TO BE SUBMITTED WITH THIS BID.**
FAILURE TO DO SO WILL RESULT IN REJECTION OF BIDDERS SUBMITTAL.

COMPLIANCE WITH THE BEASON-HAMMON ALABAMA TAXPAYER AND CITIZEN PROTECTION ACT (ACT 2011-535. AS AMENDED BY ACT 2012-491)

By signing this contract, grant, or other agreement, the contracting parties affirm, for the duration of the agreement, that they will not violate federal immigration law or knowingly employ, hire for employment, or continue to employ an unauthorized alien within the State of Alabama. Furthermore, a contracting party found to be in violation of this provision shall be deemed in breach of the agreement and shall be responsible for all damages resulting therefrom. The Contractor is enrolled in E-Verify unless it is not eligible to enroll because of the rules of that program or other factors beyond its control

INVITATION TO BIDDERS

The Cullman County Commission will be receiving bids until 2:00 p.m., Tuesday, March 14, 2023 in Room 105 of the Cullman County Courthouse, Cullman, Alabama for herbicides and adjuvants and contract application. At this time sealed bids will be publicly opened and read aloud.

The Cullman County Commission reserves the right to reject any/or all bids and to waive any formalities in the bidding.

SiteOne Landscape
Company **1385 East 36th Street**
 Cleveland, Ohio 44114

Mailing Address

216-706-9250 ext-2 / 248-581-1433
Phone/Fax

Keith McGinty
Representative

The above named bidder agrees to furnish the Cullman County Commission and the following municipalities, City of Good Hope, Town of Dodge City, Town of Fairview, Town of Baileyton, Town of Colony, Town of Garden City, Town of Holly Pond, Town of West Point, City of Hanceville, City of Cullman, Cullman County Board of Education, located within Cullman County the following products at the stated bid price for a period of one year from the date of award. If mutually agreeable between both parties, Cullman County may extend the bid period in one-year increments up to 3 yrs.

All products must be labeled for right-of-way and/or aquatic use.

Bidder must submit label for each product bid to show adherence to specifications.

It is Cullman County's desire to continue its vegetation management program in the safest and most economical way. Cullman County desires to award the herbicide and adjuvant bid to a bidder with a qualified representative that will at no cost to Cullman County provide onsite assistance and training in regards to herbicide application. Representative must be experienced in the field of herbicides and right of way application. Representative must be available to assist Cullman County on site in the determination of appropriate products, timing, and rates.

Representative must also be available to assist Cullman County in handling of complaints.

Bidders should name qualified representative and list experience with developing other Bermuda release and brush control programs with county road departments. Attach qualification to bid.

HERBICIDES & ADJUVANTS

ITEM	DESCRIPTION	UNIT
ITEM 1	Proprietary blend ammonium polyacrylates, hydroxy carboxyla Carboxylates 50% Inert Ineffective Ingredients 50% Trade Name <u>Lesco Conform pH Adjuster 1gal</u>	\$ <u>21.18</u> /Gal.
ITEM 2	Glyphosaic, N-(phosphonomethyl)glycine, in the form of its Isopropylaminc salt 53.8% Inert Ineffective Ingredients 46.2% Aquatic approved by EPA, aquatic toxicity study test Trade Name <u>Roundup Custom 2.5 gal</u>	\$ <u>43.24</u> /Gal.
ITEM 3	Monosodium Acid Mathanarscnate 47.6% \$ Inert Ineffective Ingredients 52.4% Surfactant included Total 100% Trade Name <u>MSMA 6 Plus 2.5 gal</u>	\$ <u>36.05</u> /Gal.
ITEM 4	Proprietary blend of Alkyl Aryl Polyoxylated Glycois and Derivatives therof 90% Components ineffective as spray adjuvant 10% Trade Name <u>Lesco 90/10 nonionic surfactant 2.5 gal</u>	\$ <u>18.58</u> /Gal.
ITEM 5	Proprietary blend of Polyetheneal and Polypropenylamide Co-Polymers, paraffinic hydrocarbons, and emulsifiers..... 100% Trade Name <u>Lesco Hawkege 6 4oz.</u>	\$ <u>8.44</u> /pint
ITEM 6	2,4-Dichlorophenoxyacetic Acid 19.6% Inert Ingredients 80.4% Trade Name <u>Amine 400 2,4-D 2.5 gal</u>	\$ <u>18.32</u> lb(Gal)/Pint
ITEM 7	Triisopropanolammonium salt of 2-pyridine carboxylic acid, 4-amino-3,6-dichloro- 40.6% Other Ingredients 59.4% Trade Name _____	\$ <u>NO BID</u> /Gal
ITEM 8	Ammonium salt of imazapic. 23.6% Inert Ingredients. 76.4% Trade Name <u>Imazapic 2SL 2.5 gal</u>	\$ <u>144.78</u> /Gal.
ITEM 9	Trilopyr; 3,5,6-trichloro-2-pyridinyloxyacetic acid 29.4% Other Ingredients. 70.6%% Trade Name <u>Lesco Triclopyr 4Ester 2.5 gal</u>	\$ <u>72.13</u> /Gal.
ITEM 10	Indaziflam..... 19.05% Other Ingredients 80.95%	\$ <u>NO BID</u> /Gal

Trade Name _____

ITEM 11 Polyhydroxycarboxylic acid, sulfates and polymeric deposition agents. 35.0%
Constituents ineffective as spray adjuvant..... 65.0%

\$ NO BID Gal

Trade Name _____

ITEM 12 Potassium salt of aminocyclopyrachlor Potassium Salt of 6-amino-5
-chloro-2-cylopropyl-4-pyrimidinecarboxylic acid..... 25%
Other Ingredients 75%

\$ NO BID Gal

Trade Name _____

ITEM 13 Clethodim Petroleum Distillates(E)..2..[1-[[3-chloro-2-propenyl)oxyjimino]
propyl]-5-[2-(ethylthio)propyl]-3-hydroxy-2-cyclohexen-1-one. . 12.6%
Inert Ingredients. 87.4%

\$ 155.39 Gal.

Trade Name Envoy Plus 1gal

Delivery must be made within 24 hours of order to Cullman County facility or Cullman County must be able to obtain locally at vendor's site within six hours of need.

Cullman County reserves the right to accept or reject any or all bids.

Label must accompany bid to prove adherence to specifications.

**W-9 TAX DOCUMENTS and E-VERIFY ARE REQUIRED TO BE SUBMITTED WITH THIS BID.
FAILURE TO DO SO WILL RESULT IN REJECTION OF BIDDERS SUBMITTAL.**

**COMPLIANCE WITH THE BEASON-HAMMON ALABAMA TAXPAYER AND CITIZEN PROTECTION ACT
(ACT 2011-535. AS AMENDED BY ACT 2012-491)**

By signing this contract, grant, or other agreement, the contracting parties affirm, for the duration of the agreement, that they will not violate federal immigration law or knowingly employ, hire for employment, or continue to employ an unauthorized alien within the State of Alabama. Furthermore, a contracting party found to be in violation of this provision shall be deemed in breach of the agreement and shall be responsible for all damages resulting therefrom. The Contractor is enrolled in E-Verify unless it is not eligible to enroll because of the rules of that program or other factors beyond its control

All materials and work must meet Alabama Department of Transportation Standard Specifications for Highway Construction pertaining to Section 405 and 424, current edition.

By signing this contract, the contracting parties affirm, for the duration of the agreement, that they will not violate federal immigration law or knowingly employ, hire for employment, or continue to employ an unauthorized alien within the state of Alabama. Furthermore, a contracting party found to be in violation of this provision shall be deemed in breach of the agreement and shall be responsible for all damages resulting therefrom.

Any questions regarding these specifications should be directed to, Bryan Cheatwood at (256) 796-1336.

See Bid Schedule for Pay Items Listed.

WIREGRASS CONSTRUCTION COMPANY, INC.
Company

110 OFFICE PARK DR, SUITE 300
Mailing Address

BIRMINGHAM, AL 35223

256-736-4059 / 205-620-5675
Phone/Fax

C. David Sullivan
Authorized Representative Name (Print)


Authorized Representative Signature

SPECIFICATIONS FOR BITUMINOUS PLANT MIX
(MATERIAL)
BID SCHEDULE

Bid#1433
WIREGRASS CONSTRUCTION CO., INC.
NAME OF CONTRACTOR

PAY ITEM	DESCRIPTION	\$/TON	\$/TON
		UNDER 500 TONS	OVER 500 TONS

LIMESTONE MIXES

PRICE FOR ALL 1/2" MIXES LISTED. A SEPARATE PRICE CAN BE SET BELOW FOR A SPECIFIC PAY ITEM

424A-340	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Max. Agg. Size Mix, ESAL Range A/B	<u>72.00</u>	<u>70.00</u>
424A-346	Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Max. Agg. Size Mix, ESAL Range A/B	<u>72.00</u>	<u>70.00</u>
424A-360	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Max. Agg. Size Mix, ESAL Range C/D	<u>72.00</u>	<u>70.00</u>

PRICE FOR ALL 3/4" MIXES LISTED. A SEPARATE PRICE CAN BE SET BELOW FOR A SPECIFIC PAY ITEM

424B-635	Superpave Bituminous Concrete Upper Binder Layer, 3/4" Max. Agg. Size Mix, ESAL Range A/B	<u>67.00</u>	<u>65.00</u>
424B-643	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Max. Agg. Size Mix, ESAL Range A/B	<u>67.00</u>	<u>65.00</u>
424B-665	Superpave Bituminous Concrete Lower Binder Layer, 3/4" Max. Agg. Size Mix, ESAL Range A/B	<u>67.00</u>	<u>65.00</u>
424B-673	Superpave Bituminous Concrete Lower Binder Layer, Leveling, 3/4" Max. Agg. Size Mix, ESAL Range A/B	<u>67.00</u>	<u>65.00</u>
424B-650	Superpave Bituminous Concrete Upper Binder Layer, 3/4" Max. Agg. Size Mix, ESAL Range C/D	<u>67.00</u>	<u>65.00</u>
424B-658	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Max. Agg. Size Mix, ESAL Range C/D	<u>67.00</u>	<u>65.00</u>
424B-680	Superpave Bituminous Concrete Lower Binder Layer, 3/4" Max. Agg. Size Mix, ESAL Range C/D	<u>67.00</u>	<u>65.00</u>
424B-688	Superpave Bituminous Concrete Lower Binder Layer, Leveling, 3/4" Max. Agg. Size Mix, ESAL Range C/D	<u>67.00</u>	<u>65.00</u>

PRICE FOR ALL 1" MIXES LISTED. A SEPARATE PRICE CAN BE SET BELOW FOR A SPECIFIC PAY ITEM

424B-636	Superpave Bituminous Concrete Upper Binder Layer, 1" Max. Agg. Size Mix, ESAL Range A/B	<u>59.00</u>	<u>57.00</u>
424B-644	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Max. Agg. Size Mix, ESAL Range A/B	<u>59.00</u>	<u>57.00</u>
424B-666	Superpave Bituminous Concrete Lower Binder Layer, 1" Max. Agg. Size Mix, ESAL Range A/B	<u>59.00</u>	<u>57.00</u>
424B-674	Superpave Bituminous Concrete Lower Binder Layer, Leveling, 1" Max. Agg. Size Mix, ESAL Range A/B	<u>59.00</u>	<u>57.00</u>
424C-340	Superpave Bituminous Concrete Base Layer, 1" Max. Agg. Size Mix, ESAL Range A/B	<u>59.00</u>	<u>57.00</u>
424B-651	Superpave Bituminous Concrete Upper Binder Layer, 1" Max. Agg. Size Mix, ESAL Range C/D	<u>59.00</u>	<u>57.00</u>
424B-659	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Max. Agg. Size Mix, ESAL Range C/D	<u>59.00</u>	<u>57.00</u>
424B-681	Superpave Bituminous Concrete Lower Binder Layer, 1" Max. Agg. Size Mix, ESAL Range C/D	<u>59.00</u>	<u>57.00</u>
424B-689	Superpave Bituminous Concrete Lower Binder Layer, Leveling, 1" Max. Agg. Size Mix, ESAL Range C/D	<u>59.00</u>	<u>57.00</u>

SPECIFICATIONS FOR BITUMINOUS PLANT MIX
(MATERIAL)
BID SCHEDULE

Bid#1433

WIREGRASS CONSTRUCTION CO., INC.
NAME OF CONTRACTOR

PAY ITEM	DESCRIPTION	\$/TON	\$/TON
		UNDER 500 TONS	OVER 500 TONS
424C-360	Superpave Bituminous Concrete Base Layer, 1" Max. Agg. Size Mix, ESAL Range C/D	59.00	57.00

PRICE FOR ALL 1-1/2" MIXES LISTED. A SEPARATE PRICE CAN BE SET BELOW FOR A SPECIFIC PAY ITEM

424B-648	Superpave Bituminous Concrete Upper Binder Layer, Widening, 1 1/2" Max. Agg. Size Mix, ESAL Range A/B	57.00	57.00
424B-678	Superpave Bituminous Concrete Upper Lower Layer, Widening, 1 1/2" Max. Agg. Size Mix, ESAL Range A/B	59.00	57.00
424B-663	Superpave Bituminous Concrete Upper Binder Layer, Widening, 1 1/2" Max. Agg. Size Mix, ESAL Range C/D	59.00	57.00
424B-693	Superpave Bituminous Concrete Upper Lower Layer, Widening, 1 1/2" Max. Agg. Size Mix, ESAL Range C/D	59.00	57.00

PRICE FOR ALL PATCHING LISTED. A SEPARATE PRICE CAN BE SET BELOW FOR A SPECIFIC PAY ITEM

424B-640	Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Max. Agg. Size Mix, ESAL Range A/B	59.00	57.00
424B-670	Superpave Bituminous Concrete Lower Binder Layer, Patching, 1" Max. Agg. Size Mix, ESAL Range A/B	59.00	57.00
424B-655	Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Max. Agg. Size Mix, ESAL Range C/D	59.00	57.00
424B-685	Superpave Bituminous Concrete Lower Binder Layer, Patching, 1" Max. Agg. Size Mix, ESAL Range C/D	59.00	57.00

SILICIOUS MIXES

PRICE FOR ALL 3/8" MIXES LISTED. A SEPARATE PRICE CAN BE SET BELOW FOR A SPECIFIC PAY ITEM

424A-336	Superpave Bituminous Concrete Wearing Surface Layer, 3/8" Max. Agg. Size Mix, ESAL Range A/B	75.00	73.00
424A-356	Superpave Bituminous Concrete Wearing Surface Layer, 3/8" Max. Agg. Size Mix, ESAL Range C/D	75.00	73.00

PRICE FOR ALL 1/2" MIXES LISTED. A SEPARATE PRICE CAN BE SET BELOW FOR A SPECIFIC PAY ITEM

424A-340	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Max. Agg. Size Mix, ESAL Range A/B	72.00	70.00
424A-346	Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Max. Agg. Size Mix, ESAL Range A/B	72.00	70.00
424A-360	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Max. Agg. Size Mix, ESAL Range C/D	72.00	70.00
424A-366	Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Max. Agg. Size Mix, ESAL Range C/D	72.00	70.00

PRICE FOR ALL 3/4" MIXES LISTED. A SEPARATE PRICE CAN BE SET BELOW FOR A SPECIFIC PAY ITEM

SPECIFICATIONS FOR BITUMINOUS PLANT MIX
(MATERIAL)
BID SCHEDULE

Bid#1433

WIREGRASS CONSTRUCTION Co., INC.
NAME OF CONTRACTOR

PAY ITEM	DESCRIPTION	\$/TON	\$/TON
		UNDER 500 TONS	OVER 500 TONS
424A-341	Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Max. Agg. Size Mix, ESAL Range A/B	<u>72.00</u>	<u>70.00</u>
424A-361	Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Max. Agg. Size Mix, ESAL Range C/D	<u>72.00</u>	<u>70.00</u>

MISCELLANEOUS ITEMS

327A020	Plant Mix Bituminous Base, Mix 1	<u>59.00</u>	<u>57.00</u>
327A021	Plant Mix Bituminous Base, Mix 2	<u>59.00</u>	<u>57.00</u>
Additional Cost for Delivered Material Per Ton		<u>NO BID *</u>	<u>NO BID *</u>

* #110/HR
IF AVAILABLE

INVITATION TO BIDDER

The Cullman County Commission will be receiving bids until 2:00 p.m., Tuesday, March 14, 2023 in Room 105 of the Cullman County Courthouse, Cullman, Alabama, for Bituminous Plant Mix (product only) for Cullman County Road Department and various municipalities in Cullman County. At this time sealed bids will be publicly opened and read aloud.

This bid will be a cooperative bid between the Cullman County Commission and the following municipalities located within Cullman County, Town of Good Hope, Town of Colony, Town of Garden City, Town of Dodge City, Town of Holly Pond, Town of Baileyton and the Town of Fairview, Town of West Point, City of Hanceville, Cullman County Commission on Education, and the City of Cullman. Each participating governmental entity will be responsible for issuing its own purchase orders, deliver instructions, invoicing, insurance requirements, and issue its own tax exemption certificates as required by vendors.

The award of this bid will be made by the Cullman County Commission on behalf of all indicated governmental entities.

The Cullman County Commission reserves the right to reject any and/or all bids and to waive any formalities in the bidding.

W-9 TAX DOCUMENTS and E-VERIFY ARE REQUIRED TO BE SUBMITTED WITH THIS BID. FAILURE TO DO SO WILL RESULT IN REJECTION OF BIDDERS SUBMITTAL.

This bid is to cover Bituminous Plant Mix purchased by Cullman County for use in the ENTIRE COUNTY. Materials and mixes shall comply with the State of Alabama Department of Transportation specifications. Bids will be accepted based on the price per gallon of asphalt as determined by the Alabama Department of Transportation Standard Specifications for Highway Construction, current edition on bid date. Any increase or decrease will be reflected by adjustment of the price index.

Bidders shall be responsible for complying with all Federal, State and local laws, ordinances and regulations, and shall possess all proper licenses.

Materials must be supplied as needed to Cullman County for a period of 12 months, beginning with the date of award. Upon mutual assent between the parties, bid may be extended in one year increments up to three years.

Cullman County Commission reserves the right to reject any materials supplied by the successful bidder which do not meet quality standards specified.

Bidder does hereby agree to furnish the items specified at the bid price listed for a period of one (1) year, beginning with the date of award, and certify that all specifications set out will be met.

All bidders must be licensed in accordance with all acts and codes relating to the licensing of contractors by the State of Alabama and must show evidence of such license.

The owner reserves the right to reject any and all bids and to waive all informalities without cause. The owner reserves the right to add or delete from the proposed work or delete part or all of any item of work required to adjust the cost to the funds available.

All materials and work must meet Alabama Department of Transportation Standard Specifications for Highway Construction pertaining to Section 405 and 424, current edition.

By signing this contract, the contracting parties affirm, for the duration of the agreement, that they will not violate federal immigration law or knowingly employ, hire for employment, or continue to employ an unauthorized alien within the state of Alabama. Furthermore, a contracting party found to be in violation of this provision shall be deemed in breach of the agreement and shall be responsible for all damages resulting therefrom.

Any questions regarding these specifications should be directed to, Bryan Cheatwood at (256) 796-1336.

See Bid Schedule for Pay Items Listed.

WHITTAKER CONTRACTING CORP
Company

692 Convict Camp Rd
Mailing Address

Guntersville, AL 35976

256-582-2636 / 256-582-2672
Phone/Fax

HEATH THOMAS
Authorized Representative Name (Print)

Heath Thomas
Authorized Representative Signature

SPECIFICATIONS FOR BITUMINOUS PLANT MIX

(MATERIAL)

BID SCHEDULE

Bid#1433

Whitaker Construction

NAME OF CONTRACTOR

PAY ITEM	DESCRIPTION	\$/TON	\$/TON
		UNDER 500 TONS	OVER 500 TONS

LIMESTONE MIXES

PRICE FOR ALL 1 1/2" MIXES LISTED. A SEPARATE PRICE CAN BE SET BELOW FOR A SPECIFIC PAY ITEM

424A-340	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Max. Agg. Size Mix, ESAL Range A/B	70.00	65.00
424A-346	Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Max. Agg. Size Mix, ESAL Range A/B	70.00	65.00
424A-360	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Max. Agg. Size Mix, ESAL Range C/D	70.00	65.00

PRICE FOR ALL 3/4" MIXES LISTED. A SEPARATE PRICE CAN BE SET BELOW FOR A SPECIFIC PAY ITEM

424B-635	Superpave Bituminous Concrete Upper Binder Layer, 3/4" Max. Agg. Size Mix, ESAL Range A/B	65.00	60.00
424B-643	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Max. Agg. Size Mix, ESAL Range A/B	65.00	60.00
424B-665	Superpave Bituminous Concrete Lower Binder Layer, 3/4" Max. Agg. Size Mix, ESAL Range A/B	65.00	60.00
424B-673	Superpave Bituminous Concrete Lower Binder Layer, Leveling, 3/4" Max. Agg. Size Mix, ESAL Range A/B	65.00	60.00
424B-650	Superpave Bituminous Concrete Upper Binder Layer, 3/4" Max. Agg. Size Mix, ESAL Range C/D	65.00	60.00
424B-658	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 3/4" Max. Agg. Size Mix, ESAL Range C/D	65.00	60.00
424B-680	Superpave Bituminous Concrete Lower Binder Layer, 3/4" Max. Agg. Size Mix, ESAL Range C/D	65.00	60.00
424B-688	Superpave Bituminous Concrete Lower Binder Layer, Leveling, 3/4" Max. Agg. Size Mix, ESAL Range C/D	65.00	60.00

PRICE FOR ALL 1" MIXES LISTED. A SEPARATE PRICE CAN BE SET BELOW FOR A SPECIFIC PAY ITEM

424B-636	Superpave Bituminous Concrete Upper Binder Layer, 1" Max. Agg. Size Mix, ESAL Range A/B	65.00	60.00
424B-644	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Max. Agg. Size Mix, ESAL Range A/B	65.00	60.00
424B-666	Superpave Bituminous Concrete Lower Binder Layer, 1" Max. Agg. Size Mix, ESAL Range A/B	65.00	60.00
424B-674	Superpave Bituminous Concrete Lower Binder Layer, Leveling, 1" Max. Agg. Size Mix, ESAL Range A/B	65.00	60.00
424C-340	Superpave Bituminous Concrete Base Layer, 1" Max. Agg. Size Mix, ESAL Range A/B	65.00	60.00
424B-651	Superpave Bituminous Concrete Upper Binder Layer, 1" Max. Agg. Size Mix, ESAL Range C/D	65.00	60.00
424B-659	Superpave Bituminous Concrete Upper Binder Layer, Leveling, 1" Max. Agg. Size Mix, ESAL Range C/D	65.00	60.00
424B-681	Superpave Bituminous Concrete Lower Binder Layer, 1" Max. Agg. Size Mix, ESAL Range C/D	65.00	60.00
424B-689	Superpave Bituminous Concrete Lower Binder Layer, Leveling, 1" Max. Agg. Size Mix, ESAL Range C/D	65.00	60.00

SPECIFICATIONS FOR BITUMINOUS PLANT MIX
(MATERIAL)
BID SCHEDULE

Bid#1433

Withaker Contractors
NAME OF CONTRACTOR

PAY ITEM	DESCRIPTION	\$/TON UNDER	\$/TON OVER
424C-360	Superpave Bituminous Concrete Base Layer, 1" Max. Agg. Size Mix, ESAL Range C/D	500 TONS	500 TONS
		65.00	60.00

PRICE FOR ALL 1-1/2" MIXES LISTED. A SEPARATE PRICE CAN BE SET BELOW FOR A SPECIFIC PAY ITEM

424B-648	Superpave Bituminous Concrete Upper Binder Layer, Widening, 1 1/2" Max. Agg. Size Mix, ESAL Range A/B	65.00	60.00
424B-678	Superpave Bituminous Concrete Upper Lower Layer, Widening, 1 1/2" Max. Agg. Size Mix, ESAL Range A/B	65.00	60.00
424B-663	Superpave Bituminous Concrete Upper Binder Layer, Widening, 1 1/2" Max. Agg. Size Mix, ESAL Range C/D	65.00	60.00
424B-693	Superpave Bituminous Concrete Upper Lower Layer, Widening, 1 1/2" Max. Agg. Size Mix, ESAL Range C/D	65.00	60.00

PRICE FOR ALL PATCHING LISTED. A SEPARATE PRICE CAN BE SET BELOW FOR A SPECIFIC PAY ITEM

424B-640	Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Max. Agg. Size Mix, ESAL Range A/B	65.00	60.00
424B-670	Superpave Bituminous Concrete Lower Binder Layer, Patching, 1" Max. Agg. Size Mix, ESAL Range A/B	65.00	60.00
424B-655	Superpave Bituminous Concrete Upper Binder Layer, Patching, 1" Max. Agg. Size Mix, ESAL Range C/D	65.00	60.00
424B-685	Superpave Bituminous Concrete Lower Binder Layer, Patching, 1" Max. Agg. Size Mix, ESAL Range C/D	65.00	60.00

SILICIOUS MIXES

PRICE FOR ALL 3/8" MIXES LISTED. A SEPARATE PRICE CAN BE SET BELOW FOR A SPECIFIC PAY ITEM

424A-336	Superpave Bituminous Concrete Wearing Surface Layer, 3/8" Max. Agg. Size Mix, ESAL Range A/B	74.00	69.00
424A-356	Superpave Bituminous Concrete Wearing Surface Layer, 3/8" Max. Agg. Size Mix, ESAL Range C/D	74.00	69.00

PRICE FOR ALL 1/2" MIXES LISTED. A SEPARATE PRICE CAN BE SET BELOW FOR A SPECIFIC PAY ITEM

424A-340	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Max. Agg. Size Mix, ESAL Range A/B	74.00	69.00
424A-346	Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Max. Agg. Size Mix, ESAL Range A/B	74.00	69.00
424A-360	Superpave Bituminous Concrete Wearing Surface Layer, 1/2" Max. Agg. Size Mix, ESAL Range A/B	74.00	69.00
424A-366	Superpave Bituminous Concrete Wearing Surface Layer, Leveling, 1/2" Max. Agg. Size Mix, ESAL Range C/D	74.00	69.00

PRICE FOR ALL 3/4" MIXES LISTED. A SEPARATE PRICE CAN BE SET BELOW FOR A SPECIFIC PAY ITEM

SPECIFICATIONS FOR BITUMINOUS PLANT MIX
(MATERIAL)
BID SCHEDULE

Bid#1433

WHYBARKER CONTRACTING
NAME OF CONTRACTOR

PAY ITEM	DESCRIPTION	\$/TON UNDER 500 TONS	\$/TON OVER 500 TONS
424A-341	Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Max. Agg. Size Mix, ESAL Range A/B	<u>74.00</u>	<u>69.00</u>
424A-361	Superpave Bituminous Concrete Wearing Surface Layer, 3/4" Max. Agg. Size Mix, ESAL Range C/D	<u>74.00</u>	<u>69.00</u>

MISCELLANEOUS ITEMS

- 327A020 Plant Mix Bituminous Base, Mix 1
- 327A021 Plant Mix Bituminous Base, Mix 2

<u>70.00</u>	<u>68.00</u>
<u>70.00</u>	<u>68.00</u>
<u>12.50</u>	<u>12.50</u>

Additional Cost for Delivered Material Per Ton

INVITATION TO BIDDER

The Cullman County Commission will be receiving bids until 2:00 p.m., Tuesday, March 14, 2023 in Room 105 of the Cullman County Courthouse, Cullman, Alabama, for Bituminous Plant Mix (product only) for Cullman County Road Department and various municipalities in Cullman County. At this time sealed bids will be publicly opened and read aloud.

This bid will be a cooperative bid between the Cullman County Commission and the following municipalities located within Cullman County, Town of Good Hope, Town of Colony, Town of Garden City, Town of Dodge City, Town of Holly Pond, Town of Baileyton and the Town of Fairview, Town of West Point, City of Hanceville, Cullman County Commission on Education, and the City of Cullman. Each participating governmental entity will be responsible for issuing its own purchase orders, deliver instructions, invoicing, insurance requirements, and issue its own tax exemption certificates as required by vendors.

The award of this bid will be made by the Cullman County Commission on behalf of all indicated governmental entities.

The Cullman County Commission reserves the right to reject any and/or all bids and to waive any formalities in the bidding.

W-9 TAX DOCUMENTS and E-VERIFY ARE REQUIRED TO BE SUBMITTED WITH THIS BID. FAILURE TO DO SO WILL RESULT IN REJECTION OF BIDDERS SUBMITTAL.

This bid is to cover Bituminous Plant Mix purchased by Cullman County for use in the ENTIRE COUNTY. Materials and mixes shall comply with the State of Alabama Department of Transportation specifications. Bids will be accepted based on the price per gallon of asphalt as determined by the Alabama Department of Transportation Standard Specifications for Highway Construction, current edition on bid date. Any increase or decrease will be reflected by adjustment of the price index.

Bidders shall be responsible for complying with all Federal, State and local laws, ordinances and regulations, and shall possess all proper licenses.

Materials must be supplied as needed to Cullman County for a period of 12 months, beginning with the date of award. Upon mutual assent between the parties, bid may be extended in one year increments up to three years.

Cullman County Commission reserves the right to reject any materials supplied by the successful bidder which do not meet quality standards specified.

Bidder does hereby agree to furnish the items specified at the bid price listed for a period of one (1) year, beginning with the date of award, and certify that all specifications set out will be met.

All bidders must be licensed in accordance with all acts and codes relating to the licensing of contractors by the State of Alabama and must show evidence of such license.

The owner reserves the right to reject any and all bids and to waive all informalities without cause. The owner reserves the right to add or delete from the proposed work or delete part or all of any item of work required to adjust the cost to the funds available.